
FILE NOTATIONS	
tered in NID File	Approval Letter Disapproval Letter
rd Indexed	
COMPLETION DATA: Date Well Completed	Location Inspected
₩ WW TA	Bond released State or Fee Land
Logs Pi	
Driller's Log	
Electric Logs (No.) 1/	in the state of t
E Dual I Lat  BRC Sonic GR Lat  CBLog Other	MI-L Some

. 2-

#### SUBMIT IN TRIPLICATE\*

(Other instructions on reverse side)

#### THE STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES 5. LEASE DESIGNATION AND SERIAL NO. DIVISION OF OIL & GAS CONSERVATION ML-23612 6. IF INDIAN, ALLOTTER OR TRIBE NAME APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK Is. TIPE OF WORK 7. UNIT AGREEMENT NAME PLUG BACK DEEPEN | DRILL X NATURAL BUTTES UNIT b. TYPE OF WELL MULTIPLE ZONE BINGLE X S. PARM OR LEASE NAME WELL X WELL X OTHER NATURAL BUTTES 2. NAME OF OPERATOR 9. WALL NO. CIG EXPLORATION, INC. S. ADDRESS OF OPERATOR CIGE 55-1-10-21 10. FIELD AND POOL, OR WILDCAT P. O. BOX 749, DENVER, CO 80201 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.") BITTER CREEK FIELD 11, abc., T., B., M., OF BLM. AND BURYET OF AREA 1656' FWL & 2111' FNL, Section 1, T10S, R21E At proposed prod. zone SECTION 1, T10S, R21E SAME AS ABOVE 12. COUNTY OR PARISH | 13. STATE 14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICES APPROXIMATELY 15 MILES SE OF OURAY, UTAH UINTAH UTAH 17. NO, OF ACRES ASSIGNED TO THIS WELL 15, DISTANCE FROM PROPOSED<sup>6</sup> LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drig, line, if Edy) 16. NO. OF ACEES IN LEASE N/A 571.28 5291 20. ROTARY OR CABLE TOOLS 18. DISTANCE FROM PROPOSED LOCATION\* TO NEARRST WELL, DRILLING, COMPLETED, OR APPLIED POR, ON THIS LEASE, FT. 19. PROPOSED DEPTH ROTARY 64001 N/A 22. APPROX. DATE WORK WILL START 21. BLEVATIONS (Show whether DF, RT, GR, etc.) UNGRADED GROUND 50601 November 15, 1978 22 PROPOSED CASING AND CEMENTING PROGRAM TRAKED TO ITITEAUS SETTING DEPTH SIZE OF CASING WEIGHT PER FOOT SIZE OF HOLE 9=5/8" 2001 125 sx 12-1/4" 36# AS REQUIRED TO CIRCULATE 7-7/8" 4-1/2" 11.6# 6400. CEMENT BACK TO SURFACE FRESH WATER AQUAFERS WILL BE PROTECTED WHEN THE LONG STRING IS RUN AND CEMENT IS CIRCULATED TO SURFACE. SEE ATTACHED SUPPLEMENTS FOR FURTHER INFORMATION BOP PROGRAM BOP SCHEMATIC (3) PLAT (4) ACCESS MAP FOR U.S.G.S. GAS WELL PRODUCTION HOOKUP TO FOLLOW ON SUNDRY NOTICE NO FEDERAL SURFACE WILL BE DISTURBED FOR ACCESS OR DRILLING. IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any. DATE September 22, 1978 DISTRICT SUPERINTENDENT SIGNED APPROVED BY THE DIVISION OF (This space for Federal or State office OIL, GAS, AND MINING PERMIT NO. DATE: ... TITLE APPROVED BY CONDITIONS OF APPROVAL, IF ANY:



X = Section Corners Located

#### PROJECT

#### C.I.G. EXPLORATION INC.

Well location, C./.G.E. #55-1-10-21, located as shown in the SE1/4 NW 1/4, Section 1, TIOS, R21E, S.L.B.& M. Uinteh County, Utah.



THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORNECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

REGISTERED LAND SURVEYOR REGISTRATION Nº 3154
STATE OF UTAH

UINTAH ENGINEERING & LAND SURVEYING
PO. BOX Q - 110 EAST - FIRST SOUTH
VERNAL, UTAH - 84078

SCALE   " = 1000'	DATE 9 / 21 / 78
PARTY LT PS RP	REFERENCES GLO Plat
WEATHER Clour / Cool	FILE C.I.G. EXPLORATION

#### BLOWOUT PREVENTER PROGRAM:

Operator's minimum specifications for pressure control equipment which is to be used, a schematic diagram thereof showing sizes, pressure ratings, and testing precedures and testing frequency.

Bottom:

3000# BOP W/4-1/" pipe rams 3000# BOP W/blind rams 3000# Hydril

Top:

Grant rotating head

Manifold includes appropriate valves, positive and adjustable chokes and kill line, to control abnormal pressures.


BOP's will be tested at installation and will be cycled on each trip.

The type and characteristics of the proposed circulating medium to be employed for rotary drilling and the quantities and types of mud and weighting material to be maintained:

The well will be drilled with fresh water mud from surface to 4500' with a weight of 8.3 to 8.7 ppg. From 4500' to TD the well will be drilled with fresh water mud with a weight from 8.7 to 10.4 ppg.


Auxiliary equipment to be used:


- a. kelly cock
- b. monitoring equipment on the mud system
- c. a sub with a full opening valve will be available on the floor to stab into the drill pipe when the kelly is not in the string.



#### Test Procedure

- 1) Flush BOP's and all lines to be tested with water.
- 2) Run test plug on test joint and seat in casing head (leave valve below test plug open to check for leak).
- 3) Test the following to rated pressure:
  - a) inside blowout preventer
  - b) lower kelly cock
  - c) upper kelly cock
  - d) stand pipe valve
  - e) lines to mud pump
  - f) kill line to BOP's
- 4) Close and test pipe rams to rated pressure.
- 5) Close and test Hydril to rated pressure.
- 6) Back off and leave test plug in place. Close and test blind rams to rated pressure.
- 7) Test all choke manifold valves to rated pressure.
- 8) Test kill line valves to rated pressure.





STATE OF UTAH DIVISION OF OIL, GAS, AND MINING

\*\* FILE NOTATIONS \*\*

Date: Oct. 3-	
Operator: <u>US Apla</u>	lation
Well No: Matusa	1 Butter 55-1-10-21
Location: SecTTR. a	Pre County: Mistak
File Prepared: //	Entered on N.I.D.: //
Card Indexed: //	Completion Sheet: //
API Number:	B-041-30512
CHECKED BY:	<b>]</b>
Administrative Assistant	
Remarks: Www. Well	
Petroleum Engineer:	00 V
Remarks:	
Director:	
Remarks:	
INCLUDE WITHIN APPROVAL LETTER:	
Bond Required: / DO	Survey Plat Required: //
Order No.	Surface Casing Change // to
Rule C-3(c), Topographic exception within a 660' radius	nulcompount and a controls acreace
0.K. Rule C-3	0.K. In fat Butte unit
Other:	

September 29, 1978

MEMO TO FILE

Re: Colorado Interstate Gas Well #55-1-10-21 1656' FWL , 2111' FNL Natural Buttes Unit Sec. 1, T. 10S, R. 21E Uintah County, Utah

Verbal permission was given to C.I.G.E. to commence operations on this well. The application has been sent, and should be in this office within the next few days.

PATRICK L. DRISCOLL CHIEF PETROLEUM ENGINEER DIVISION OF OIL, GAS, & MINING

PLD/1w


SUBMIT IN TRIPLICATE.


<b>5 4</b> .	are or oran	(Other instructions on re-	5. LEASE DESIGNATION	ING BENEFI NO
OIL & GAS CONS	SERVATION COMMISSI	ON verse alde)	1	NOD BESTAL NO.
<del></del>			ML-23612 6. IF INDIAN, ALLOTTE	ON THINK MANY
SUNDRY NOT	rices and reports	ON WELLS	1	- 0.4 12128 2242
(Do not use this form for propo	sals to drill or to deepen or plug ATION FOR PERMIT—" for such p	back to a different reservoir.	N/A	
1.			7. UNIT AGREEMENT NO	(N)
OIL WALL W OTHER			NATURAL BUT	
2. NAME OF OPERATOR			8. TAND OR LEAD NA	
GAS PRODUCING ENTERPRI	SES INC.	•	NATURAL BUT	
ADDADA OF OFFRATOR			9. WHILE NO.	) A A A C
P. O. BOX 749, DENVER	co 80201		CIGE 55-1-1	10-21
LOCATION OF WELL (Report location	clearly and in accordance with any	State requirements.	10. FIELD AND FOOL, O	
See also space 17 below.) At surface			BITTER CREE	K FIELD
			11. DMC., T., N., M., ON S	DLX, AND
1656' FWL & 2111' FNL	SECTION 1-T10S-R21E		AUXYXX OX AXXA	
			SECTION 1-T	LOS-R21E
14, PREMIT NO.	15. BLEVATIONS (Show whether D	F, RT, GA, etc.)	12. COUNTY OR PARISH	13. BTATE
43-047-30512	5060' UN	GRADED GROUND	UINTAH	UTAH
a Charle A				<u> </u>
Check A	ppropriate Box To Indicate P	Nature of Notice, Report, or C	Jiner Dala	and the second of
NOTICE OF INTER	PION TO:	BURSHQ	UNN'T BRPORT OF:	•
TROT WATER BRUT-077	PULL OR ALTER CASING	WATER SHUT-OPP	REPARENCE 1	*****
	MULTIPLE COMPLETE	THEMTAGET GEUTDARY	ALTENINO C.	49150
· .	ABANDON*	BHOUTING ON ACIDIZING	ABANDOMME	mr.
	CHANGE PLANS	(Other) PIPELINE	HOOKUP	X
(Other) PIPELINE HO	ע פוזאחר	(Nors: Report results	of multiple completion letion Report and Log for	on Well
nent to this work.)	trails officed \$140 sensations local	tions and measured and true vertic		
SITE	ייי אין זמכא היי דאים אום	ON FOR PERMIT TO DRII	•	
	THEMINI TO ACCIDENT	ON FOR PERMIT TO DRIL	<u>.⊢</u>	
(1) PROPOSED GAS WE	LL PRODUCTION HOOKUP			4.0
		•		•
(A) TYPICAL WE	LL HEAD INSTALLATION			
	IN LINES AND PIPE AN			
				* - * * * * * * * * * * * * * * * * * *
(2) PROPOSED PIPELI	NE MAP		•	
(3) PROPOSED ROAD F	OR FLOW LINE AND PIP	ELINE RIGHT OF WAY		
		•		
	•			
FOR ON-SITE CONTACT:				
EDWARD N. NORRIS AT (80	1) 789–2773	•	4	
		•		ប្រទ
OR				
TRA W. M. Ch Abanana and An				
IRA K. McCLANAHAN AT (3	03) 473–2300			
	• •	. • 		
8. I hereby certify that the foregoing is	s true and correct			,
SIGNED & R Mil	faff TITLE	DISTRICT SUPERINTENDE	NT DATE Octob	er 10, 197
F. K. MIDKIFF				
(This space for Federal or State off	ce 1496)			
APPROVED BY	TITLE		DATE	
CONDITIONS OF APPROVAL, IF A	<del></del>			


#### STATE OF UTAH

SUBMIT IN TRIPLICATES (Other Instructions on re-

OIL & GAS CONS	ERVATION COMMIS	verse side)	5. LEASE DESIGNATION	W AND BERIAL NO.
			ML-23612	·
SUNDRY MOTI	CES AND REPORT	S ON WELLS	B. IF INDIAN, ALLOTT	EWAN ARIET KO EK
(Do not use this form for propos Use "APPLICA			N/A	
3.			7. UNIT AGREEMENT I	EKA
MALL MARE A OLUMN		•	NATURAL BU	TTES UNIT
Z. NAMA OF OPERATOR		•	8. FARM OR LEADE H	KK.
GAS PRODUCING ENTERPRIS	ES, INC.		ANATURAL BU	TTES
8. ADDRESS OF OFFICE			9. WELL HO.	
P. O. BOX 749, DENVER,			CIGE 55-1-	
4. LOCATION OF WELL (Report location cl. See also space 17 below.)	early and in accordance with	any State requirementa.	10. FIZED AND POOL,	
At surface			BITTER CRE	
1656' FWL & 2111' FNL S	<b>₽</b> ₽₽ТОМ 1_₽10€_₽211	<b>.</b>	II. SHO., T., E., M., OR SURVEY OR ARE	i bex, and
1030 FWL & ZIII FML S	ECTION 1-1103-K211		SECTION 1-7	P10c . p21p
14. PERMIT NO.	15, BLEVATIONS (Show whether		12. COUNTY ON PARIS	
43-047-30512	50601	•		
		UNGRADED GROUND	UINTAH	UTAH
16. Check Ap	propriate Box To Indicat	te Nature of Notice, Report, or	Other Data	
PRETRI SO SOFON	nex to:	aceum .	CAN EXPORT CAR	•
TRUT WATER BRUTOPP	ULL ON ALTRA CASING	WATER SHUT-OFF	REPAIREM	W
	ULTIPLE COMPLETE	THE MERCET SEUTORES	ALTERING	
	•кодила	ONISIDIDA NO DEITUOME	MADDELAGA	· }
	HANGE PLANS	(Other) PIPELINE	HOOKID	x
(Other) PIPELINE HO	OKTIP X	(Nors: Report resul	ts of multiple completter pletten Report and Log f	on Well
	LL PRODUCTION HOOK	ATION FOR PERMIT TO DRI		
				•
	L HEAD INSTALLATI IN LINES AND PIPE			•
•	· · · · · · · · · · · · · · · · · · ·			
(2) PROPOSED PIPELIN	IE MAP			
(0)				
(3) PROPOSED ROAD FO	R FLOW LINE AND P	IPELINE RIGHT OF WAY		
	• ,,			
FOR ON-SITE CONTACT:				
ZON ON OZID CONTACT.				
EDWARD N. NORRIS AT (801	789-2773		•	
OR	•			
IRA K. McCLANAHAN AT (30	3) 473-2300			
18. I hereby certify that the foregoing is	true and correct			·····
BIGNED & R Which	TITLE_	DISTRICT SUPERINTEND	ENT DATE Octo	ber 10, 1978
F. K. MLUKIFF	_/_/			
(This space for Federal or State office	use)			•
APPROVED BY	TITLE _		DATE	<del></del>
CONDITIONS OF APPROVAL IF AN	iz:		and the second s	







GENERAL Form 72-1/59	ESTIMATE SKETCH	
DATE: 8/10/78  STARTING DATE: EST. COMP. DATE:	COLORADO INTERSTATE GAS COMPANY NORTHWEST PIPELINE CORPORATION	W. O. NO.: REVISION NO.:
COMPANY CONTRACT		RELATED DWG.:
LOCATION: 647 FNL, 1910 FFL DESCRIPTION OF WORK: CSUNECT		NATURAL BUTTES
:		
REQUESTED BY:	APPROXIMATE MILEAGE: 44 PR	ROJECT ENGINEER:
Pumping Sister Gas Sister Gas EXIST  Soze WORD  EXIST Swage	CIGE 18	2-10-21 3 4 MT X-42 10-21
EXIST Well Tee 2" on 2" EXIST WIPPLE 2'X6" TOE	WELD, 2"EU. ×90°LK	218" OD X.125 W.T. XXX 600 # 2MM DETYD TO 2" METER THE
EXIST. ME X	238 OD PIPE X. 125 W.T.	3/3/
ME 4" LINE FLAG	CTION DETAIL	
+	NB #29 NB #29 GPE W CO 24718	

September 29, 1978

Statement for permit to lay flow line, to be included with application for Drilling Permit - CIGE #55-1-10-21.

Upon approval of all concerned regulatory agencies, CIG proposed to install a surface flow line from CIGE #55-1-10-21 in a westerly direction on the center line of Section 1 connecting to a line (MFS-4") all in T10S, R21E. The line will be approximately 2,000' long as shown on the accompanying sketches.

Pipe will be 2-3/8" O.D. x .125" W.T., Grade X-42 EW. It will be butt-welded in place using portable electric welding machines, and will be laid above ground except where burial is necessary for road crossing, ditches, or other obstructions.

CIG will connect to Producer's separator and install dehydration and metering facilities within 100' of the connection.

Some damage will be incurred by trucks transporting pipe and welding equipment over the pipeline route, but surface disturbance will be held to a minimum.

October 25, 1978

MEMO TO FILE

Re: CIG EXPLORATION
Well No. CIGE 55-1-10-21
Sec. 1, T. 10S, R. 21E
Uintah County, Utah

This office was notified that the above well was spudded in on October 16, 1978 at 11:00 AM. Spudding was by All Western.

Loffland Brothers will move in on November 27, 1978.

CLEON B. FEIGHT DIRECTOR


CBF/Iw

cc: State Land Board

State Industrial Commission



### DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL. GAS. AND MINING





	IVISION OF OIL					5. LEASE DE ML-2361	SIGNATION AND SERIAL NO.
WELL CON	MPLETION C	P RECON	API FTION F	REPORT A	ND LOC	6. IF INDIAN	, ALLOTTEE OR TRIBE NAME
I. TYPE OF WELL				<del> </del>			SEMENT NAME
-	WELL (	WELL X	J DRY L	Other		<del></del>	BUTTES UNIT
L TYPE OF COMP	WORK DEEP-	PLUG DACK	DIFF. EESVR.	Other	·	S. FARM OR	LEASE NAME
2. NAME OF OPERATO	DR .	áma TNA	AV F.	. 1	1	·	. BUTTES
	ING ENTERDA	ISES, INC	·CEE	<u>xDlora</u>	+101	9. WELL NO.	5-1-10-21
3. ADDRESS OF OPER	749, DENVĖR,	CO 8020	1				ND POOL, OR WILDCAT
				Stata meguira	manta\#		CREEK FIELD
4. LOCATION OF WEL					mencej	11. SEC., T.,	B., M., OH BLOCK AND SURVEY
1656' FWL	& 2111' FNL	SECTION	1-T10S-R21E	3		OR AREA	
SAME AS AR	erval reported below SOVE	•				SECTION	N 1-T10S-R21E
At total depth SAME AS AF	BOVE	•	14. PERMIT NO.		ATE ISSUED	12. COUNTY	OR 13. STATE
			43-047-30	_	10/3/78	PARISH UINTAH	UTAH
15. DATE SPUDDED	16. DATE T.D. REAC		COMPL. (Ready t		·	F, REB, RT, GR, ETC.)*	19. ELEV. CASINGHEAD
10/16/78	12/11/78	2/5	79		5060' UN		UNKNOWN
20, TOTAL DEPTH, MD		ACK T.D., MD &	TVD 22. IF MUL	TIPLE COMPL.	23. INTE	LEGAR	
6200	6170					232' -	TD   0 - 232' KB
24. PRODUCING INTER	VAL(S), OF THIS CO	ipletion—top	, BOTTOM, NAME (	MD AND TVD)*			25. WAS DIRECTIONAL SURVEY MADE
5249' - 60	088' WASATCH	•		.*			YES
26. TYPE ELECTRIC A	ND OTHER LOGS RUN						27. WAS WELL CORRD
DIL, CNL-	FDC						NO
23.		CASI	NG RECORD (Rep				· · · · · · · · · · · · · · · · · · ·
CASING BIZE	WEIGHT, LB./FT.	DEPTH SE		LE SIZE		ENTING RECORD	AMOUNT PULLED
9-5/8"	36#	237		-1/4"	150 sx.		
4-1/2"	11.6#	6200	)'	-7/8"	1505 sx	• 4	
					·····		
29.	7.71	NER RECORD	<u> </u>		30.	TUBING REC	ORD
SIZE		OTTOM (MD)	SACKS CEMENT®	SCREEN (MD	) SIZE	DEPTH SET (8	MD) PACKER SET (MD)
				•	NO	T YET RUN	
-				·			
31. PERFORATION REC	CORD (Interval, size	and number)		32.	ACID, SHOT	FRACTURE, CEMEN	T SQUEEZE, ETC.
	6088' - 4 ho				ERVAL (MD)		ND OF MATERIAL USED
	5843' - 4 ho			52491-6	5088'		00 gals 7-1/2% MSR,
·	5685' - 4 ho	101	al holes-25	<b> </b>			sealers, displ. w
	5513' - 6 ho 5251' - 5 ho						c w/91,000 gals 40
		TES	PPA	1000 ga	al comple	ked guar gel,	110,000# 40/60 sno
33.* DATE FIRST PRODUCT	ION   PRODUCT	ION METHOD (	Flawing, gas lift, p		nd type of put		STATUS (Producing or
	FLOWI					***	ut-in) SI
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR	OIL—BÉL.	GAS-M		L. GAS-OIL RATIO
2/6/79	24	18/64"	TEST PERIOD	0	2.0 m	mscfd 40	
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RAT	OIL—BBL.	GAS		WATER—BBL. 40	OIL GRAVITY-API (CORR.)
N/A	1150		U	2.0	mmscfd	TEST WITN	I DOWN WY
34. DISPOSITION OF G	AN (NOIG, USEG JOT JU	ei, veniea, eic.)				K. ODE	
VENTED 35. LIBT OF ATTACH	MENTS	<u>* 2                                   </u>		· · · · · · · · · · · · · · · · · · ·		1	· · · · · · · · · · · · · · · · · · ·
THE TENED							
36. I hereby certify	that the foregoing	and attached I	nformation is com	plete and corre	ct as determin	ed from all available	records
T	PM	16.1	<i>P</i> <sub>r</sub>	istrict	Superinte	ndent	2/28/79
SIGNED F.	R. Midkitt	ung	TITLE L			DAT	E
		nstructions of	nd Spaces for /	Additional [	Oata on Rev	erse Side)	
	,					. · ·	and the state of t

# INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions. and/or State office.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments

Consult local State tem 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.


The state is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, Submit a separate report (page) on this form, adequately identified, should be listed on this form, see item 35. or Federal office for specific instructions. interval, or

item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool feem 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.) for each additional interval to be separately produced, showing the additional data pertinent to such interval.

5. LEASE

### UNITED STATES DEPARTMENT OF THE INTERIOR

SUNDRY NOTICES AND REPORTS ON WELLS  (Go not use this form for proposals to delile it to deepan or plug back to a different reservoir. Use form 9-31-0 for such proposals.  1. oil	DEPARTMENT OF THE INTERIOR	ML-23612
SUNDRY NOTICES AND REPORTS ON WELLS  (Con not use this form for proposals to drill or to deepen or plug back to a different inservoir. Use form 5-31-6 wash proposals.  1. oil well	GEOLOGICAL SURVEY	**************************************
(Che mat use this form for proposals to drill or to deepen or plug back to a different reservoir. Use form 9-31-C for such proposals.)  1. oil		N/A
1. oil gas EX other  2. NAME OF OPERATOR Castal Oil & Gas Corporation 3. ADDRESS OF OPERATOR P. O. Box 749, Denver, CO 80201 4. LOCATION OF WELL (REPORT LOCATION CLEARLY, See space 17 below.) AT SURFACE: 16.56' FML & 2111' FML AT TOP PROD. INTERVAL: SAME 16. CHECK APPROPHATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF RANDICE TREAT SHOOT OR ACIDIZE REPARATURE TREAT SHOOT OR ACIDIZE REPARATURE TREAT SHOOT OR ACIDIZE REPARATURE COMPLETE CHANGE ZONES BABANDON* (other) NTL-2B Unlined Pit  17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent data measured and true vertical depths for all markers and zones pertinent to this work.)*  This application is to request approval to dispose of produced waters in an unline between the water analysis gives the composition of produced waters. Water is produce or annual rainfall is 70 inches per year. The percolation rate is 2-6 inches per year the produced waters. Water is produce or annual rainfall is 70 inches per year. The percolation rate is 2-6 inches per year. The percolation rate for the area compensated to the well site.  The areal extent and depth of waters containing less than 10,000 ppm TDS is unknown the cament for the 4-1/2" casing is brought back near surface which protects all urface waters.  Subsurface Safety Valve: Manu. and Type  18. I hereby garify that the foregoing is true and correct signed.  PARE ALIGNED AND THE PRODUCTION.  Super intendent  Production.  DATE August 11, 1980	SUNDRY NOTICES AND REPORTS ON WELLS	7. UNIT AGREEMENT NAME
1. oil gas Mell Other  2. NAME OF OPERATOR Coastal Oil & Gas Corporation 3. ADDRESS OF OPERATOR P. O. Box 749, Denver, CO 80201 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.) AT SURFACE: 1656' FWL & 2111' FNL AT TOP PROD. INTERVAL: SAME 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA  REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPART WELL PULL OR ALTER CASING MULTIPLE COMPLETE CHANGE ZONES ABANDON* (other) NTL-2B UnItined Pit  17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent data including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations a measured and true vertical depths for all markers and zones pertinent to this work.)*  This application is to request approval to dispose of produced waters in an unline shit with a bentonite seal. The subject well produces less than four, BWPD. The tracked water analysis gives the composition of produced waters. Water is produce from rannula rainfall is 70 inches per year. The percolation rate is 2-6 inches per year for the area. The pit itself is 30' x 30' at the surface, tapering down to 2.5', having a depth of 6-1/2 feet. See the attached map for location of well site he pit is located at the well site.  The areal extent and depth of waters containing less than 10,000 ppm TDS is unknown he coment for the 4-1/2" casing is brought back near surface which protects all uniface waters.  Subsurface Safety Valve: Manu. and Type  18. I hereby cgrify that the foregoing is true and correct  SIGNED AREA TO THE PRODUCTION.  SUPPLIFIED OFFICE	(Do not use this form for proposals to drill or to deepen or plug back to a different	Natural Buttes Unit
2. NAME OF OPERATOR  Coastal Oil & Gas Corporation  3. ADDRESS OF OPERATOR  P. O. Box 749, Denver, CO 80201  4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  AT SURFACE: 1656' FWL & 2111' FNL AT TOP PROD. INTERVAL: SAME  16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA  REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:  TEST WATER SHUTOFF FACTURE TREAT SHOOT OR ACIDIZE REPART WELL PULL OR ALTER CASING MULTIPLE COMPLETE CHANGE ZONES  ABANDON* (other) NTL-2B Unlined Pit  17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent data including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations a measured and true vertical depths for all markers and zones pertinent to this work.)*  This application is to request approval to dispose of produced waters in an unline with which a bentonite seal. The subject well produces less than four by the subject well produced waters. Water is produce from annual rainfall is 70 inches per year. The percolation rate is 2-6 inches per your for the area. The pit itself is 30' x 30' at the surface, tapering down to 25', having a depth of 6-1/2 feet. See the attached map for location of well site he areal extent and depth of waters containing less than 10,000 ppm TDS is unknown he cement for the 4-1/2" casing is brought back near surface which protects all surface waters.  Subsurface Safety Valve: Manu. and Type  18. i hereby gently that the foregoing is true and correct surper intendent.	reservoir. Ose rorm 3-331-C for such proposais.)	· · · · · · · · · · · · · · · · · · ·
2. NAME OF OPERATOR  COASTAI O(1 & Gas Corporation  3. ADDRESS OF OPERATOR P. O. Box 749, Denver, CO 80201  4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below).  AT SURFACE: 1656' FWL & 2111' FNL AT TOP PROD. INTERVAL: SAME AT TOTAL DEPTH: SAME AT TOTAL DEPTH: SAME IG. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA  REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAR WELL PULL OR AITER CASING MULTIPLE COMPLETE CHANGE ZONES ABANDON' (ather) NTL-2B Unfined Pit  17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dat including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations a measured and true vertical depths for all markers and zones pertinent to this work.)*  This application is to request approval to dispose of produced waters in an unline with a bentonite seal. The subject well produces less than four is which a bentonite seal. The subject well produces less than four is produced or annual rainfall is 70 inches per year. The percolation rate is 2-6 inches per year. The percolation of well site he pit is located at the well site.  The areal extent and depth of waters containing less than 10,000 ppm TDS is unknown to 2 with the foregoing is true and correct  Subsurface Safety Valve: Manu. and Type  18. I hereby gardy that the foregoing is true and correct  Subsurface Safety Valve: Manu. and Type  18. I hereby gardy that the foregoing is true and correct  Subsurface Safety Valve: Manu. and Type  19. Well In Lace 170-10-10-10-10-10-10-10-10-10-10-10-10-10		
Coastal Oil & Gas Corporation  3. ADDRESS OF OPERATOR P. O. Box 749, Denver, CO 80201  4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.) AT SURFACE: 1656' FWL & 2111' FNL AT TOP PROD. INTERVAL: SAME 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA  REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPARR WELL PULL OR ALTER CASING MULTIPLE COMPLETE CHANGE ZONES ABANDON* (other) NTL-2B Unfined Pit  17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent data including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations a measured and true vertical depths for all markers and zones pertinent to this work.)*  This application is to request approval to dispose of produced waters in an unline it with a bentonite seal. The subject well produces less than four BWPD. The complete or annual rainfall is 70 inches per year. The percolation rate for the area compensated or annual rainfall is 70 inches per year. The percolation rate is 2-6 inches per our for the area. The pit itself is 30' x 30' at the surface, tapering down to 2 5', having a depth of 6-1/2 feet. See the attached map for location of well site he areal extent and depth of waters containing less than 10,000 ppm TDS is unknown to 2 in the surface waters.  Subsurface Safety Valve: Manu. and Type  18. Ihereby cardiy that the foregoing is true and correct SUBPORT THE Production SUPER INTERPORT SUPER THE NATION OF THE NATION OF THE NATION OF THE Production Super intendent		
3. ADDRESS OF OPERATOR P. Q. Box 749, Denver, CO 80201 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.) AT SURFACE: 1656' FWL & 2111' FNL AT TOP PROD. INTERVAL: SAME AT TOTAL DEPTH: SAME AT TOTAL DEPTH: SAME II. API NO. 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE. REPORT, OR OTHER DATA  REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL PULL OR ALTER CASING MULTIPLE COMPLETE CHANGE ZONES ABANDON* (other) NTL-2B Uniffined Pit  17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all partment details, and give pertinent data including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations a measured and true vertical depths for all markers and zones pertinent to this work.)*  This application is to request approval to dispose of produced waters in an unline pit with a bentonite seal. The subject well produced waters. Water is produce water analysis gives the composition of produced waters. Water is produce or annual rainfall is 70 inches per year. The percolation rate for the area compensated for annual rainfall is 70 inches per year. The percolation rate is 2-6 inches per our for the area. The pit itself is 30' x 30' at the surface, tapering down to 25', having a depth of 6-1/2 feet. See the attached map for location of well site he areal extent and depth of waters containing less than 10,000 ppm TDS is unknown he areal extent and depth of waters containing less than 10,000 ppm TDS is unknown he areal extent and depth of waters containing less than 10,000 ppm TDS is unknown he areal extent and depth of waters containing less than 10,000 ppm TDS is unknown he areal extent and depth of waters containing less than 10,000 ppm TDS is unknown he areal extent and depth of waters containing less than 10,000 ppm TDS is unknown he areal extent and depth of waters containing less than 10,000 ppm TDS is unknown he areal extent and depth of waters containing less than 10,000 ppm		
P. O. Box 749, Denver, CO 80201  4. LOCATION OF WELL (REPORT LOCATION CLEARLY, See space 17 below)  AT SURFACE: 1656' FWL & 2111' FNL AT TOP PROD. INTERVAL: SAME AT TOTAL DEPTH: SAME AT TOTAL DEPTH: SAME AT TOTAL DEPTH: SAME 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA  REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: TEST WATER SHUTOFF FRACTURE TREAT SHOOT OR ACIDIZE REPART WELL PULL OR ALTER CASING MULTIPLE COMPLETE CHANGE ZONES ABANDON* (other) NTL-2B Unfined Pit  17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent data including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations a measured and true vertical depths for all markers and zones pertinent to this work.)*  This application is to request approval to dispose of produced waters in an unline at with a bentonite seal. The subject well produces less than four.  With a bentonite seal. The subject well produced waters. Water is produce from the Wasatch formation. The evaporation rate for the area compensated or annual rainfall is 70 inches per year. The percolation rate is 2-6 inches per our for the area. The pit itself is 30' x 30' at the surface, tapering down to 2 5', having a depth of 6-1/2 feet. See the attached map for location of well site he pit is located at the well site.  The area extent and depth of waters containing less than 10,000 ppm TDS is unknown he cement for the 4-1/2" casing is brought back near surface which protects all surface waters.  Subsurface Safety Valve: Manu. and Type  18. Hereby carify that the foregoing is true and correct support intendent  19. O. Described and support intendent  1		-
A LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  AT SURFACE: 1656' FWL & 2111' FNL AT TOP PROD. INTERVAL: SAME AT TOTAL DEPTH: SAME 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA  REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAR WELL PULL OR ALTER CASING MULTIPLE COMPLETE CHANGE ZONES ABANDON' (other) NTL-2B Unfined Pit  17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dat including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations a measured and true vertical depths for all markers and zones pertinent to this work.)*  In this application is to request approval to dispose of produced waters in an unline it with a bentonite seal. The subject well produces less than four EWPD. The tached water analysis gives the composition of produced waters. Water is produc rom the Wasatch formation. The evaporation rate for the area compensated for annual rainfall is 70 inches per year. The percolation rate is 2-6 inches per our for the area. The pit itself is 30' x 30' at the surface, tapering down to 2 5', having a depth of 6-1/2 feet. See the attached map for location of well site he areal extent and depth of waters containing less than 10,000 ppm TDS is unknown in the company of the area of the area of the surface waters.  Subsurface waters.  Subsurface Safety valve: Manu. and Type  18. I hereby getty that the foregoing is true and correct  SIGNED ARA SAME  12. COUNTY OR PARISH 13. STATE  12. COUNTY OR PARISH 14. API NO.  14. API NO.  15. ELEVATIONS (SHOW DF, KDB, AND W 5060' Ungr. Gr.  16. LEVATIONS (SHOW DF, KDB, AND W 5060' Ungr. Gr.  17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent of a substance on form 9-330.)  16. LEVATIONS (SHOW DF, KDB, AND W 5060' Ungr. Gr.  17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give		
Delow.)  AT SURFACE: 1656' FWL & 2111' FNL AT TOP PROD. INTERVAL: SAME AT TOTAL DEPTH: SAME  AT TOTAL DEPTH: SAME  16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE REPORT, OR OTHER DATA  18. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE REPORT, OR OTHER DATA  19. LEEVATIONS (SHOW DF, KDB, AND W 5060' Ungr. Gr.  19. LEEVATIONS (SHOW DF, KDB, AND W 5060' Ungr.  19. LEEVATIONS (SHOW DF, KDB, AND W 5060' Ungr.  19. LEEVATIONS (SHOW DF, KDB, AND W 5060' Ungr.  19. LEEVATIONS (SHOW DF, KDB, AND W 5060' Ungr.  19. LEEVATIONS (SHOW DF, KDB, AND W 5060' Ungr.  19. LEEVATIONS (SHOW DF, KDB, AND W 5060' Ungr.  19. LEEVATIONS (SHOW DF, KDB, AND W 5060' Ungr.  19. LEEVATIONS (SHOW DF, KDB, AND W 5060' Ungr.  19. LEEVATIONS (SHOW DF, KDB, AND W 5060' Ungr.  19. LEEVATIONS (SHOW DF, KDB, AND W 5060' Ungr.  19. LEEVATIONS (SHOW DF, KDB, AND W 5060' Ungr.  19. LEEVATIONS (S		
AT SURFACE: 1636' FWL & 2111' FNL AT TOP PROD. INTERVAL: SAME AT TOTAL DEPTH: SAME  16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA  17. REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE PULL OR ALTER CASING MULTIPLE COMPLETE CHANGE ZONES ABANDON* (other) NTL-2B UnTimed Pit  17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent data including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations a measured and true vertical depths for all markers and zones pertinent to this work.)*  This application is to request approval to dispose of produced waters in an unline it with a bentonite seal. The subject well produces less than four BWPD. The tached water analysis gives the composition of produced waters. Water is produce or annual rainfall is 70 inches per year. The percolation rate is 2-6 inches per our for the area. The pit itself is 30' x 30' at the surface, tapering down to 25', having a depth of 6-1/2 feet. See the attached map for location of well site he areal extent and depth of waters containing less than 10,000 ppm TDS is unknown in a company to the composition of produced waters.  Subsurface Waters.  Subsurface Safety Valve: Manu. and Type  18. I hereby carlify that the foregoing is true and correct Supper intendent  19. APP NO.  43-047-30512  15. ELEVATIONS (SHOW DF, KDB, AND W 5060' Ungr. Gr.  46. APP NO.  43-047-30512  16. ELEVATIONS (SHOW DF, KDB, AND W 5060' Ungr. Gr.  46. APP NO.  43-047-30512  16. ELEVATIONS (SHOW DF, KDB, AND W 5060' Ungr. Gr.  46. APP NO.  47. APP NO.  48. APP NO.  48. APP NO.  48. APP NO.  49. APP NO.  49. APP NO.  49. APP NO.  40. APP	·	1
AT TOTAL DEPTH: SAME  16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA  REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE PULL OR ALTER CASING MULTIPLE COMPLETE CHANGE ZONES ABANDON* (other) NTL-2B Unlined Pit  17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent data including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations a measured and true vertical depths for all markers and zones pertinent to this work.)*  This application is to request approval to dispose of produced waters in an unline it with a bentonite seal. The subject well produces less than four. BWPD, The tracked water analysis gives the composition of produced waters. Water is produce or annual rainfall is 70 inches per year. The percolation rate is 2-6 inches per our for the area. The pit itself is 30' x 30' at the surface, tapering down to 2  5', having a depth of 6-1/2 feet. See the attached map for location of well site the pit is located at the well site.  The production part August 11, 1980  BERN Midkiff THE Production DATE August 11, 1980  THE Production Superintendent  DATE August 11, 1980	AT SURFACE: 1656' FWL & 2111' FNL	
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA  16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA  REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:  17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent data including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations a measured and true vertical depths for all markers and zones pertinent to this work.)*  This application is to request approval to dispose of produced waters in an unline it with a bentonite seal. The subject well produces less than four. BWPD. The tracked water analysis gives the composition of produced waters. Water is produce or annual rainfall is 70 inches per year. The percolation rate for the area compensated or annual rainfall is 70 inches per year. The percolation rate is 2-6 inches per our for the area. The pit itself is 30' x 30' at the surface, tapering down to 25', having a depth of 6-1/2 feet. See the attached map for location of well site the pit is located at the well site.  The areal extent and depth of waters containing less than 10,000 ppm TDS is unknown the cement for the 4-1/2" casing is brought back near surface which protects all urface waters.  Subsurface Safety Valve: Manu. and Type  18. I hereby certify that the foregoing is true and correct supering the foregoing is true and correct supering the fo		
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:  TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL PULL OR ALTER CASING MULTIPLE COMPLETE CHANGE ZONES ABANDON* (other) NTL-2B Unfined Pit  17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent data including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations a measured and true vertical depths for all markers and zones pertinent to this work.)*  This application is to request approval to dispose of produced waters in an unline it with a bentonite seal. The subject well produces less than four BWPD. The ttached water analysis gives the composition of produced waters. Water is produce rom the Wasatch formation. The evaporation rate for the area compensated or annual rainfall is 70 inches per year. The percolation rate is 2-6 inches per our for the area. The pit itself is 30' x 30' at the surface, tapering down to 2 5', having a depth of 6-1/2 feet. See the attached map for location of well site he pit is located at the well site.  The areal extent and depth of waters containing less than 10,000 ppm TDS is unknown the cement for the 4-1/2" casing is brought back near surface which protects all surface waters.  Subsurface Safety Valve: Manu. and Type  18. Hereby centify that the foregoing is true and correct Signed Report Date August 11, 1980	AT TOTAL DEPTH: SAME	
REQUEST FOR APPROVAL TO:  SUBSEQUENT REPORT OF:  TEST WATER SHUT-OFF	,	43-047-30512
REQUEST FOR APPROVAL TO:  TEST WATER SHUT-OFF   SUBSEQUENT REPORT OF:  TEST WATER SHUT-OFF   SHOOT OR ACIDIZE   SHOOT OR ACIDIZ	REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD)
TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL PULL OR ALTER CASING MULTIPLE COMPLETE CHANGE ZONES ABANDON* (other) NTL-2B UnTined Pit  17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dat including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations a measured and true vertical depths for all markers and zones pertinent to this work.)*  This application is to request approval to dispose of produced waters in an unline it with a bentonite seal. The subject well produces less than four BWPD. The tached water analysis gives the composition of produced waters. Water is produce or annual rainfall is 70 inches per year. The percolation rate for the area compensated or annual rainfall is 70 inches per year. The percolation rate is 2-6 inches per our for the area. The pit itself is 30' x 30' at the surface, tapering down to 2 5', having a depth of 6-1/2 feet. See the attached map for location of well site he pit is located at the well site.  The areal extent and depth of waters containing less than 10,000 ppm TDS is unknown the cement for the 4-1/2" casing is brought back near surface which protects all urface waters.  Subsurface Safety Valve: Manu. and Type  18. I hereby carify that the foregoing is true and correct SIGNED  FR. Midkiff  TITLE PRODUCTION  Superintendent  Date August 11, 1980	REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF	5000 Ungr. Gr.
CHANGE ZONES ABANDON*  (other) NTL-2B Unfined Pit  17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent data including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations at measured and true vertical depths for all markers and zones pertinent to this work.)*  This application is to request approval to dispose of produced waters in an unline it with a bentonite seal. The subject well produces less than four BWPD. The trached water analysis gives the composition of produced waters. Water is produce rom the Wasatch formation. The evaporation rate for the area compensated or annual rainfall is 70 inches per year. The percolation rate is 2-6 inches per our for the area. The pit itself is 30' x 30' at the surface, tapering down to 25', having a depth of 6-1/2 feet. See the attached map for location of well site he pit is located at the well site.  The areal extent and depth of waters containing less than 10,000 ppm TDS is unknown the cement for the 4-1/2" casing is brought back near surface which protects all surface waters.  Subsurface Safety Valve: Manu. and Type Set @  18. I hereby cartify that the foregoing is true and correct  SIGNED R. Midkiff This Production Date August 11, 1980	TEST WATER SHUT-OFF	
CHANGE ZONES ABANDON*  (other) NTL-2B Unfined Pit  17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent data including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations at measured and true vertical depths for all markers and zones pertinent to this work.)*  This application is to request approval to dispose of produced waters in an unline it with a bentonite seal. The subject well produces less than four BWPD. The trached water analysis gives the composition of produced waters. Water is produce rom the Wasatch formation. The evaporation rate for the area compensated or annual rainfall is 70 inches per year. The percolation rate is 2-6 inches per our for the area. The pit itself is 30' x 30' at the surface, tapering down to 25', having a depth of 6-1/2 feet. See the attached map for location of well site he pit is located at the well site.  The areal extent and depth of waters containing less than 10,000 ppm TDS is unknown the cement for the 4-1/2" casing is brought back near surface which protects all surface waters.  Subsurface Safety Valve: Manu. and Type Set @  18. I hereby cartify that the foregoing is true and correct  SIGNED R. Midkiff This Production Date August 11, 1980	FRACTURE TREAT	$\mathcal{L}_{\mathcal{L}}$
CHANGE ZONES ABANDON*  (other) NTL-2B Unfined Pit  17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent data including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations at measured and true vertical depths for all markers and zones pertinent to this work.)*  This application is to request approval to dispose of produced waters in an unline it with a bentonite seal. The subject well produces less than four BWPD. The trached water analysis gives the composition of produced waters. Water is produce rom the Wasatch formation. The evaporation rate for the area compensated or annual rainfall is 70 inches per year. The percolation rate is 2-6 inches per our for the area. The pit itself is 30' x 30' at the surface, tapering down to 25', having a depth of 6-1/2 feet. See the attached map for location of well site he pit is located at the well site.  The areal extent and depth of waters containing less than 10,000 ppm TDS is unknown the cement for the 4-1/2" casing is brought back near surface which protects all surface waters.  Subsurface Safety Valve: Manu. and Type Set @  18. I hereby cartify that the foregoing is true and correct  SIGNED R. Midkiff This Production Date August 11, 1980	SHOOT OR ACIDIZE	.)/
CHANGE ZONES ABANDON*  (other) NTL-2B Unfined Pit  17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent data including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations at measured and true vertical depths for all markers and zones pertinent to this work.)*  This application is to request approval to dispose of produced waters in an unline it with a bentonite seal. The subject well produces less than four BWPD. The trached water analysis gives the composition of produced waters. Water is produce rom the Wasatch formation. The evaporation rate for the area compensated or annual rainfall is 70 inches per year. The percolation rate is 2-6 inches per our for the area. The pit itself is 30' x 30' at the surface, tapering down to 25', having a depth of 6-1/2 feet. See the attached map for location of well site he pit is located at the well site.  The areal extent and depth of waters containing less than 10,000 ppm TDS is unknown the cement for the 4-1/2" casing is brought back near surface which protects all surface waters.  Subsurface Safety Valve: Manu. and Type Set @  18. I hereby cartify that the foregoing is true and correct  SIGNED R. Midkiff This Production Date August 11, 1980	REPAIR WELL	NOTE: Report results of multiple completion or zone
CHANGE ZONES ABANDON*  (other) NTL-2B Unfined Pit  17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent data including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations at measured and true vertical depths for all markers and zones pertinent to this work.)*  This application is to request approval to dispose of produced waters in an unline it with a bentonite seal. The subject well produces less than four BWPD. The trached water analysis gives the composition of produced waters. Water is produce rom the Wasatch formation. The evaporation rate for the area compensated or annual rainfall is 70 inches per year. The percolation rate is 2-6 inches per our for the area. The pit itself is 30' x 30' at the surface, tapering down to 25', having a depth of 6-1/2 feet. See the attached map for location of well site he pit is located at the well site.  The areal extent and depth of waters containing less than 10,000 ppm TDS is unknown the cement for the 4-1/2" casing is brought back near surface which protects all surface waters.  Subsurface Safety Valve: Manu. and Type Set @  18. I hereby cartify that the foregoing is true and correct  SIGNED R. Midkiff This Production Date August 11, 1980	MILITIPLE COMPLETE	change on Form 9–330.)
ABANDON* (other) NTL-2B UnTined Pit  17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent data including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations a measured and true vertical depths for all markers and zones pertinent to this work.)*  This application is to request approval to dispose of produced waters in an unline it with a bentonite seal. The subject well produces less than four BWPD. The tracked water analysis gives the composition of produced waters. Water is produce rome the Wasatch formation. The evaporation rate for the area compensated or annual rainfall is 70 inches per year. The percolation rate is 2-6 inches per our for the area. The pit itself is 30' x 30' at the surface, tapering down to 25', having a depth of 6-1/2 feet. See the attached map for location of well site he pit is located at the well site.  The areal extent and depth of waters containing less than 10,000 ppm TDS is unknown the cement for the 4-1/2" casing is brought back near surface which protects all urface waters.  Subsurface Safety Valve: Manu. and Type Set @  18. I hereby cartify that the foregoing is true and correct  SIGNED R. Midkiff  TITLE Production DATE August 11, 1980		
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent data including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations a measured and true vertical depths for all markers and zones pertinent to this work.)*  This application is to request approval to dispose of produced waters in an unline it with a bentonite seal. The subject well produces less than four BWPD. The trached water analysis gives the composition of produced waters. Water is produce to manual rainfall is 70 inches per year. The percolation rate for the area compensated or annual rainfall is 70 inches per year. The percolation rate is 2-6 inches per our for the area. The pit itself is 30' x 30' at the surface, tapering down to 25', having a depth of 6-1/2 feet. See the attached map for location of well site the pit is located at the well site.  The areal extent and depth of waters containing less than 10,000 ppm TDS is unknown the cement for the 4-1/2" casing is brought back near surface which protects all unface waters.  Subsurface Safety Valve: Manu. and Type Set @  18. I hereby cartify that the foregoing is true and correct  SIGNED TITLE Production DATE August 11, 1980		
measured and true vertical depths for all markers and zones pertinent to this work.)*  This application is to request approval to dispose of produced waters in an unline it with a bentonite seal. The subject well produces less thanfour BWPD. The tracked water analysis gives the composition of produced waters. Water is produced or annual rainfall is 70 inches per year. The percolation rate is 2-6 inches per our for the area. The pit itself is 30' x 30' at the surface, tapering down to 25', having a depth of 6-1/2 feet. See the attached map for location of well site he pit is located at the well site.  The areal extent and depth of waters containing less than 10,000 ppm TDS is unknown the cement for the 4-1/2" casing is brought back near surface which protects all urface waters.  Subsurface Safety Valve: Manu. and Type Set @	(other) NTL-2B Unlined Pit	
including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations a measured and true vertical depths for all markers and zones pertinent to this work.)*  This application is to request approval to dispose of produced waters in an unline set with a bentonite seal. The subject well produces less thanfour BWPD. The strached water analysis gives the composition of produced waters. Water is produce from thewasatchformation. The evaporation rate for the area compensated for annual rainfall is 70 inches per year. The percolation rate is 2-6 inches per pour for the area. The pit itself is 30' x 30' at the surface, tapering down to 25', having a depth of 6-1/2 feet. See the attached map for location of well site he pit is located at the well site.  The areal extent and depth of waters containing less than 10,000 ppm TDS is unknown the cement for the 4-1/2" casing is brought back near surface which protects all urface waters.  Subsurface Safety Valve: Manu. and Type Set @		· · · · · · · · · · · · · · · · · · ·
his application is to request approval to dispose of produced waters in an unline it with a bentonite seal. The subject well produces less than four BWPD. The ttached water analysis gives the composition of produced waters. Water is produced to make water analysis gives the composition rate for the area compensated or annual rainfall is 70 inches per year. The percolation rate is 2-6 inches per our for the area. The pit itself is 30' x 30' at the surface, tapering down to 25', having a depth of 6-1/2 feet. See the attached map for location of well site he pit is located at the well site.  The areal extent and depth of waters containing less than 10,000 ppm TDS is unknown the cement for the 4-1/2" casing is brought back near surface which protects all subsurface waters.  Subsurface Safety Valve: Manu. and Type Set @  18. I hereby catify that the foregoing is true and correct suggests that I applied the composition of the compositio	17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state including estimated date of starting any proposed work. If well is d	e all pertinent details, and give pertinent dates,
trucked water analysis gives the composition of produced waters. Water is produce that tached water analysis gives the composition of produced waters. Water is produce that the waster is produced waters. Water is produced waters. Water is produced waters. Water is produced waters. Water is produced waters. The production rate is 2-6 inches per our for the area. The pit itself is 30' x 30' at the surface, tapering down to 2 is the pit is located at the well site.  The production of waters containing less than 10,000 ppm TDS is unknown are called at the 4-1/2" casing is brought back near surface which protects all subsurface waters.  Subsurface Safety Valve: Manu. and Type	measured and true vertical depths for all markers and zones pertiner	nt to this work.)*
trucked water analysis gives the composition of produced waters. Water is produce that tached water analysis gives the composition of produced waters. Water is produce that the waster is produced waters. Water is produced waters. Water is produced waters. Water is produced waters. Water is produced waters. The production rate is 2-6 inches per our for the area. The pit itself is 30' x 30' at the surface, tapering down to 2 is the pit is located at the well site.  The production of waters containing less than 10,000 ppm TDS is unknown are called at the 4-1/2" casing is brought back near surface which protects all subsurface waters.  Subsurface Safety Valve: Manu. and Type	his application is to request engaged to discuss	
rom the Wasatch formation. The evaporation rate for the area compensated or annual rainfall is 70 inches per year. The percolation rate is 2-6 inches per our for the area. The pit itself is 30' x 30' at the surface, tapering down to 25', having a depth of 6-1/2 feet. See the attached map for location of well site he pit is located at the well site.  The areal extent and depth of waters containing less than 10,000 ppm TDS is unknown the cement for the 4-1/2" casing is brought back near surface which protects all subsurface waters.  Subsurface Safety Valve: Manu. and Type Set @ Set @ Signed F. R. Midkiff Title Production Date August 11, 1980	it with a bentonite con1. The orbital and and	or produced waters in an unlined
Wasatch formation. The evaporation rate for the area compensated or annual rainfall is 70 inches per year. The percolation rate is 2-6 inches per our for the area. The pit itself is 30' x 30' at the surface, tapering down to 25', having a depth of 6-1/2 feet. See the attached map for location of well site the pit is located at the well site.  The areal extent and depth of waters containing less than 10,000 ppm TDS is unknown the cement for the 4-1/2" casing is brought back near surface which protects all surface waters.  Subsurface Safety Valve: Manu. and Type	ttached water analysis gives the commodition of	es less than <u>four</u> BWPD, The
or annual rainfall is 70 inches per year. The percolation rate is 2-6 inches per our for the area. The pit itself is 30' x 30' at the surface, tapering down to 25', having a depth of 6-1/2 feet. See the attached map for location of well site the pit is located at the well site.  The production of the 4-1/2" casing is brought back near surface which protects all surface waters.  Subsurface Safety Valve: Manu. and Type  18. I hereby certify that the foregoing is true and correct signed  F. R. Midkiff  Title Production Superintendent  Date August 11, 1980	rom the	duced waters. Water is produced
but for the area. The pit itself is 30' x 30' at the surface, tapering down to 25', having a depth of 6-1/2 feet. See the attached map for location of well site the pit is located at the well site.  The areal extent and depth of waters containing less than 10,000 ppm TDS is unknown the cement for the 4-1/2" casing is brought back near surface which protects all surface waters.  Subsurface Safety Valve: Manu. and Type  18. I hereby cartify that the foregoing is true and correct signed  F. R. Midkiff  TITLE Production  Superintendent  DATE August 11, 1980	or annual rainfall is 70 inches are my	rate for the area compensated
the pit is located at the well site.  The areal extent and depth of waters containing less than 10,000 ppm TDS is unknown the cement for the 4-1/2" casing is brought back near surface which protects all surface waters.  Subsurface Safety Valve: Manu. and Type  18. I hereby certify that the foregoing is true and correct  SIGNED  F. R. Midkiff  TITLE Production  Superintendent  DATE August 11, 1980	Our for the area. The sit that it is an action	colation rate is 2-6 inches per
the areal extent and depth of waters containing less than 10,000 ppm TDS is unknown the cement for the 4-1/2" casing is brought back near surface which protects all surface waters.  Subsurface Safety Valve: Manu. and Type	5' having a depth of 6.1/2 fact. Gas 41.	he surface, tapering down to 25'
he areal extent and depth of waters containing less than 10,000 ppm TDS is unknown the cement for the 4-1/2" casing is brought back near surface which protects all surface waters.  Subsurface Safety Valve: Manu. and Type	he pit is located at the well site	map for location of well site.
Subsurface Waters. Subsurface Safety Valve: Manu. and Type  18. I hereby certify that the foregoing is true and correct SIGNED  F. R. Midkiff  TITLE Production Superintendent  DATE August 11, 1980	Par is located at the well site.	
Subsurface Safety Valve: Manu. and Type  18. I hereby certify that the foregoing is true and correct  SIGNED  F. R. Midkiff  TITLE Production Superintendent  DATE August 11, 1980		
Subsurface Safety Valve: Manu. and Type  18. I hereby certify that the foregoing is true and correct  SIGNED  F. R. Midkiff  Set @	he areal extent and depth of waters containing loss	the 10 000
Subsurface Safety Valve: Manu. and Type	he cement for the 4-1/2" casing is brought back now	than 10,000 ppm TDS is unknown.
Subsurface Safety Valve: Manu. and Type	ALLACE WALEES.	
SIGNED R. Midkiff TITLE Production DATE August 11, 1980  Superintendent	Subsurface Safety Valve: Manu. and Type	Set @ Ft.
SIGNED Production DATE August 11, 1980  N. R. Midkiff  Superintendent		
SIGNED N. R. Midkiff Superintendent DATE August 11, 1980		
	SIGNED R. Midkiff TITLE Production Superintenden	t DATE August 11, 1980
(This space for Federal or State office use)	(This space for Federal or State off	ice use)
APPROVED BY	<b>V</b> /	•



take the second	4 4	1 10	
PORM	CIC	4898-7/7	4

#### COLORADO INTERSTATE GAS COMPANY

STATE COPY

	4			1		2 54						W	LL TE	ST DAT	A FORM						IAIE WIT		
14	LD C	DDE					FIELD NAM	Œ		C	PERATO	R			OPERATOR NAM	£	9			W	ELL NAME		A. J.
		1-17	1	AIL	RAL	BL	TIE		JT .	7.	220	0	Clo	EXPLO	HATION I	INC			CIG	£ 55-1-1	l ü−21		p.S. a.
3 WEL	CODE	SECT.	TWN	SHP/BL	N K RGE	/SUR.	PA EQ. NUME	IHAND EP	K-FACTOR		FORM	ATION	· .				1,100				1994		rue.
254	.33			10:	Š Ž	LE					WAS	ATO	H SA	FLOW	I TEST	er kan dege							
	WELL (	ON												F	LOW TEST								
	OPEN			ATE (CC			RIFICE		METER RUN	COE	FFICIENT		GRAVITY	METER DIFF.	METER	DIFFERENTIA	L N	ETER .	WELL	FLOWING	STATIC TEG (#E/F)		G STRING
	DAY			DAY		11.	SIZE		SIZE		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		(SEP )	RANGE	PRESSURE	ROOTS		EMP	TEMP.	TRG/CSG			CASING
Company of the					021 - 22											52			59 61		7 68 73	74	75
XX	x x	X X	XX	1 × ×	XX	XX	XXX	×	x xxx	XX	X X X	<u> </u>	x	XXX	XXXXX	XXX	( X )	XXX	XXX	XXXXX	XXXXX	X	×
1. (11)			2.7			1.5												4.1					2000
07	13	13	07	22	83	10	500		4 026	012	212	01	3 600	100	007100	076	0 1	81		012390	VIDAS D	Y	1
	7				27.7		SHUT IN T	EST			1			·						T OF MY KNOWLE	2.41		
	WELL-O (SHUT-I	N)	PRE	SSURE	DATE	CASING PRESSURE			TUBING PRESSUR		s	SLOPE		EFFECTIVE DIAMETER	EFFECTIVE LENGTH	GRAVITY EST		G DA	TA IS CO		DGE THE ABOVE	eval 60 s. i	
MQ.	DAY	YR.	MO.	DAY	YR.		(PSIG)		(PSIG)		1					GAS) PF	NESS PRE	88					
11-12	13-14	15-16	17-18	19-20	21-22	23		28	3 29	34	35		<b>3839</b> -		4 4549	50 53	54 5	5 CIC	3 L	A Ala	Cartema	( <b>X</b> )	1
XX	хх	ХX	хх	хх	ХX	×X	XXXX	X	XXXXX	Х	х	ΧX	x x	XXXXX	x x x x x	XXXX	E E			, ,			
-1				75-CJ	7		7.7				] [							OP	ERATOR:_		verte.		
- 23		83			23				A 1 2 2 3			be	, ,	9950	so e	0600		co	MMISSION	<u> </u>	and the second		
6	14.2	1X 5	107	6	<u> </u>	12.5	272	)	0/242	<u> </u>	ļ <u> </u>			. 7970	700	40 00			<u> </u>	<u> </u>	, <del></del>		
1						4.					REMAR	KS:										March 1999	
# T			100	254	22		1051	) Ü							والمراجع والمتعارب							and State (1975) Bendand	

#### COLORADO INTERSTATE GAS COMP

STATE COPY

		<u> </u>			3 B				1.8				100	e ne. Line de		· ·		VEL	LTE	51	T DAT	Α	FORM		<u> </u>	1			<u>'                                    </u>	11.5	- 1						3. 3 B
V Y	ELD CO	)DE			2.1	1. 1		FIEL	D NAM	Æ	11				O	CON	OR					C	PERATOR NAM	Æ							- 1	WE	ELL N	AME			
2	3. <del>-</del> ()	1-1	٦.			RAL	E)	UT	TE S		Ų, į		**.11		:	CODE			$\mathbf{I}_{\mathcal{G}}$		APL:	R	4 £ 1 0 M -	ΙŅ	C				CIS	Ε.	ā 5 <del></del>	1-1	) <b>-</b>	2.1			
ା ଏ —	433	SECT	ŢV	VNSH			SUR.	SEQ	P.A.I NUMB	NHAN ER			AVE CTOR				AMATI	•	V2.5		L 0 W	*	EST								1		3				
23	₹33	1		Ţ	<i>்</i> \$	٤ .	15		v. 1	$\perp$						<del>- 18</del>			-4	7	_ 32		-31			11.00			4. <sub>1.1</sub> 1. 4		11.			114	13		
1	WELL (	AN .														r 1 - 2,				***		LO/	W TEST													- X	1000
1	(OPEN			DATE			1. 9	ORIFI			MET	ER R	UN .		COEFI	FICIEN	1		AVITY		DIFF	:	METER	-	DIFFERENT	TIAL	MET	ER	WELL		BGACS	G		STATI TSG/C		1	G STRING
	DAY		1911	1	PAY	YR.		SIZ	<del> </del>			SIZE	· .		×		<u> </u>	1	SEP.)	$\rightarrow$	RANGE		PRESSURE	1	ROOTS				TEMP		<b>MEG B</b> UI			PRESSO			CASING
	2 13 - 14	-					1			28 -	-			33 -					4	-				1 52		<del></del>			59 — 61				769 -	-	773	74	75
XX	XX	XX	×	×   >	( X	ХX	XX		XX	<u> </u>	( X	X	ХX	· ·	( X X	ХX	, X	X	XXX	4	XXX		x	4	ХX	XX	X :	( X	XXX	X >	( X X	X: X	1 <u>x x</u>	XX	XI X	<u> </u>	X
68	24	82	0,	8 -	31	g 2	00		(00		4	~ ()	<b>12</b> 6	/	12	19	b	٨	601		100	٨	0648 0		54	2 N	07	3	<b>1</b>	ΔΔ	<b>1</b> 12:	<b>.</b> .		√12/		×	
			Ť					SHL	IT-IN T	EST	· · · · · ·		- /	-				13-	Ή.	<u></u>		7-75	2 37 1 37 1 7	╈			10.0	-	O THE BES			7			7.5 6.5		<del>*                                    </del>
	WELL-O	N)	PF	RESSU TAKE	RE	DATE		C	ASING ESSURE		T	· -	TUBIN	G			SLOP	E			FECTIVE AMETER		EFFECTIVE LENGTH	G	RAVITY (RAW GAS)	EST CSG PRESS	EST TBG	D	ATA IS CO			OVVER	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Trite Per	Ž.		
MO	DAY	YR	MC	). E	PAY	YR.	]		PSIG)				(PSIG					٠.	.						UA3)	111200	, NEGO	,		1 4	JA	1	1	)		3.7	
11-12	13-14	15-16	17-	18 19	-20	21-22	23 —		-		28 2	9—			- 34	35-			38 39			14	45 49	50	<del></del>	54	55	CI	IG	LF	, )	ζ۵.	<b>\$</b> #	-1	- 3		
ХX	,х х	XX	Х	X )	CX.	хх	X	XX	XX	X		Х	XXX	X , )	•	X	X	ΧX	X	×	$\mathbf{x} \mathbf{x} \mathbf{x}$	X	XXXXX	X	(XXX	E	Ė	. ~	PERATOR:	1	SA)	' V	h	H.	Z		
		1	T								7					4.			2.5				e de grande					, 0	rena (Un:_	15			-	7-5-	37		
178	31	82	C	10	3	72	- 0	งา	98	٥		0.4	99	6	5	.*	ę	. ? 7	,	L	9-3-5-	- 1	504	1 7	601			Ci	OMMISSION	d:							
E.																REM	ARKS:																		744		
STA			110			2	54	7 7		^	^ =				ं				ing spile. The state of the sta	j.						· .		j									K. 200
	1	<del></del>		2			J 4 .	<u> </u>		Ų	05	<u> </u>	U		37.1				خنست				<u> </u>	200	<u> </u>	<u> </u>	<u> </u>	· · · ·							1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		لــــــــــــــــــــــــــــــــــــــ

ะกลม ก่อ ครัก±2/79

COLORADO INTERSTATE GÁS COMPANY

¥ .	.10 030-	1		<u> </u>			<u> </u>			<u> </u>			3. 8. 8	WELL	, TES	r bat	A	FORM	<u> </u>	· · · · · ·	<u> </u>	1		<u> </u>	<u> </u>	
eg i	IELD C	F 1					, . ,	FIELD NAME	n = 1	rata da			OPERATOR CODE		117			OPERATOR NAME	All the all the all	1	L. see	in a sheet		WELL NAME	N 44	
NOX.	cobe	1 ===:	т. ? 	TWN	CATION ISHP/BL	N LK RGE/S	SUR.	SEO, NUMBEI	R	TE/REDCA K-FAC	TOR		FBRM	AATION TOLY		43		7.1					1			342
	WELL O		Ø E		ATE (COM	94D 3	<del></del>	ORIFICE						3 60	T	METER		LOW TEST	L	-		Sand WELL T	FLOWING	1 STATIC 1	4-1	- 18 m 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	BAY	- No. 1	+		DAY			SIZE	1	METER RUM SIZE	•	COF	EFFICIENY	(S	AVITY SEP.	DIF		METER PRESSURE	DIFFEREN		METÉ TEMI	TER WELL MP. HEAD TEMP.	FLOWING TBB/CSG PRESSURE	STATIC 1 TSGASB PRESSURE	TURING	NG STRING
						21 22	23—	27	28 —		32 3	33		38 39 —	<b>—42</b>		45 46	46	52	-55	56		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	7 68 7,	3 74	15,
X	$\mathbf{X}_{1}\mathbf{X}$	ХX	4	х×	хх	х×	хх	( xxx	<u> </u>	x x x	. ×	×х	xxx 🖔	x x	xxx	1 × 3	×	××××××	хx	××	(X)	xx xxx	×××× ×	×××××	×	×
ž.						,				ا را د		2	7.7.12 7.7.12	U.	600		13	COMM	08	14	0	96	19			
V	#€CL-ſ	·FF	T			0.00	*	SHUT-IN TES	.ST						1	TO THE				The state of the s		TO THE BES	T OF MY KNOW	FOGE THE AR	OVE Y	
(5	WECL-DI SHOT-II	AÎ)	F	PRESSU TAKE	/RE én	DATE		CASING PRESSURE (PSIG)			TUBING PRESSURE	ıE	SI SI	OPE		EFFECTIVE DIAMETER		EFFECTIVE LENGTH	GRAVITY (RAW A	EST CSG PRESS	EST TBG PRESS	DATA'IS COP				ä
0.	DAY	YR.		MO.	DAY	YR.	1	(PSIG)	4 1 3 <u>1, 1</u>	1	(PSIG)			. <u>1</u> .	. 1	X.	1 '	3	UASI	1	1		شال مستد	A STATE OF THE STA	13 m = 2 4	$r^{-1}$
12	13-14	15-1/	6 1	17 - 18	19 - 20	21 - 22	23		28	29	==	34	35	3	38 39		44	45 49	5053	54	55	] CIG:		Lat wine		************************************
×	¥Х	ХX	<u>(</u>	хx	хx	ХX	×	(XXXX	×	XX	XXX	×	X	×××	ХX	X X	××	xxxxx	xxxx	E	E	OPERATOR:	and the same	A Service	ing water tall. Na	
	· · · · ·				 	[. ]		***			•						] 					COMMISSION			* 3	
STAMP		1,	2!	543	13	•	10:	500					REMAR	KS:	ر المب			An all the same								

#### COLORADO INTERSTATE GAS COMPANY

WELL TEST DATA FORM

STATE COPY

OPERATOR OPERATOR NAME FIELD CODE FIELD NAME WELL NAME CIG EXPLORATION INC 560-01-11 NATURAL BUTTES CIGE 55-1-10-21 PANHANDLE/REDCAVE LOCATION TWNSHP/BLK FORMATION RGE/SUR SEQ. NUMBER K-FACTOR 108 21E WASATCH SA FLOW TEST WELL ON FLOW TEST METER (OPEN) DATE (COMP. WELL FLOWING STATIC FLOWING A RING ORIFICE METER RUN GRAVITY METER DIFFERENTIAL METER COEFFICIENT DIFF. HEAD TBG/666 TSG/CSG SIZE SIZE (SEP) PRESSURE ROOTS TEMP MO BAY MO DAY YR CASING RANGE TELAP PRESSURE PRESSURE TUBING 14 12 13 - 14 15 16 17 18 19 - 2021 2223 ----- 27 28 32 33 38 39 --- 42 43 --- 45 46 --- 55 56 5859 - 6162 ---76 XXXX XX XX XXX XX XXX XXXXX XXXX XXX XXXXXX XXXX XXXXXXXXXXX XXX XXX 22 81 09 29 81 926 100 096 103 007500 007600 SHUT-IN TEST ISHUT-IN TO THE BEST OF MY KNOWLEDGE THE ABOVE GRAVITY EST EST TBG PRESSURE EFFECTIVE **EFFECTIVE** DATA IS CORRECT. DATE CASING TUBING SLOPE RAW TAKEN DIAMETER LENGTH PRESSURE PRESSURE GAS PRESS PRESS (PS(G) (PSIG) MO. DAY 17-18 19-20 28 29 21-22 23 **— 34 35**--49 50 ---- 53 \* X X X X X XXXXX X XXXXX XXXX XX XXXX XXXXX XXXX OPERATOR: 9950 COMMISSION 827 5081 00835 0 REMARKS: 00750 75733

COLORADO INTERSTATE GAS COMPANY FORM CIG 4808-7/73 WELL TEST DATA FORM STATE COPY LO CODE FIELD NAME OPERATOR OPERATOR NAME WELL NAME CODE Clus 55-2-10-21 MATURAL BUTTOS SOME MOTTARGUSKS OFOS TWINSHPALK RGE/SUR SEQ. NUMBER FORMATION K-FACTOR 95433 SASATCH SA FEGA TEST WELL ON FLOW TEST (OPEN) DATE (COMP.) METER DIFF. WELL STATIC FLOWING STRING ORIFICE DIFFERENTIAL METER RUN GRAVITY METER METER COEFFICIENT TSG655 HEAD SIZE SIZE MO. DAY MO. DAY YR. (SEP.) PRESSURE ROOTS TEMP TUBING CASING RANGE TEMP PRESSURE PRESSURE 11 - 12 13 - 14 15 - 18 17 - 18 18 - 2021 - 2223 - 2728 32 33 - 55 56 - 58 59 - 61 62 - 67 88 - 67 8 38 39 --- 4243 --- 4546 --- 51 52 ----XX XXX XXXXX X X X X X X X XXX XXXXXX XXXXX X XXXXX XXXX XXX XXX 125 000 0550 090 6097201M7631011X 007310 SHUT IN TEST TO THE BEST OF MY KNOWLEDGE THE ABOVE WELL-OFF GRAVITY EST TBG PRESSURE (SHUT-IN) EFFECTIVE EFFECTIVE DATE CASING TUBING DATA IS CORRECT. SLOPE TAKEN DIAMETER LENGTH PRESSURE PRESSURE PRESS PRESS (PSIG) (PSIG) MO. MO. DAY YR. DAY 13-14 15-16 17-18 19-20 21-22 23 28 29-- 34 35 38 39 -49 EO -45-54 хх X X XX хх XXXXXXX XXXXX X XXXX XX XXXX XXXXX X X X X E E OPERATOR: 1905 80 0140 0 011280 COMMISSION: 624 4 0500 567 REMARKS 25433 01000

GORM CIG 4896-7/73

#### COLORADO INTERSTATE GAS COMPANY

WELL TEST DATA FORM

STATE CODY

265						3 ( ) 3		<u> </u>		<u> </u>		7			LL IE	BI VA	IA FUN		Trail ( ) Colored	<u>-1 </u>			10.00	<b>全国的</b>	/ <b>U</b> I_U	
	FIE	ELD CO	)DE		14		100	FIELD NAM	Æ	77.			PERATO	3		10 Television 12	OPERATO	OR NAME	A. Maria					WELL NAME	1.3	1 1/4
			4.			5	وهشا			3 F	100		CODE					1	41.58						41.7	- 12 P
		CODE	<del></del>	LΑ,	814	FAL		the provides		The second	<u> </u>			11	345	Wrock	x - 2 - 3-	***************************************	and the second	100	A	I T	6-1	the same of the first	M = 21	
		7	SECT.	TWN	SF/BL	K RGE	/SUR.	SEO. NUMBE	MANUL	LE/REDCAV K-FACT		-1' '	FORM	ATION				***		i d			philipping and the second			
	3.00	Šą.	1	2.5	V (5 +		_ 1	ACLA. PALADAGE	*	M. E. M.	Un	1 ,					7 - 747								图 网络	16 . 0
			<del></del>		105		7/ -	<del></del>	حبلت			14	44	يمرم	4		<u> </u>	<u> </u>	<del></del>	<u> </u>				<b>A</b> _	43 × 10 × 10 × 10 × 10 × 10 × 10 × 10 × 1	
1		VELL (			TE (CO	Name V	<del></del>		10.91			<del></del>	<del>. ; /</del>	- : 1 <del>-</del> 2	Takana a	METER	FLOW TEST		1		·	WELL	FLOWING	STATIC		C STREEG
-		DAY		MO.		-		ORIFICE SIZE	l N	WETER RUN		COEF	FICIENT		SRAVITY (SEP.)	DIFF.	PRESS		DIFFERENT		METER TEMP.	, HEAD	TBG/CSG.	TSG/CSG		****
1						YR.			<u> </u>	- SHEAL						RANGE			1			I ENW	PRESSURE		TUBING	CXSNG
						021 - 22			728			200		- 38 39		49 4			52			58 59 81		- 67 68	<b>A</b>	700
	^	XX	XX	XX	XX	ХX	X X	XXX	1 X 7	XXXX	<u> </u>	XXX	(XX	X >	( X X X	XXX	( XXXX	X X; X	ХX	XX	ХX	x x x x	XXXXX	XXXXX		X
1	7.			ļ	1	1 4			.f ~ ;	4		e de la composición dela composición de la composición dela composición de la compos	į				: -	1			$\Gamma$					
1	1				1 4			1	<b>1</b>									ļ		. 1	E(k)		术 联心学图			
4	Ç 1	0.3	179	1/2	10	179	الصلا	1000	101	<u> Fioz</u>	اما	14.64	274	11.	1	100	16057	1910	1 05	20	08	3	11/64	D CH. 1.4 13	A COLUMN	<b>A</b>
$\Gamma$		41.0			A	<i>i</i> :		SHUT-IN TO	EST	17 7		· T	,	731	F 10	8 8 S 8 8 8 8		÷ .	100	201		TO THE BE	CT AR MY KNOW	NLEDGE THE ABOVE	1900	-C-XLW
	(5	VELL-OF SHUT-IN	FF (	PRES	SURE	~ 4 70	F			1	TIPMO				1	EFFECTIVE	EFFEC	CTIVE	GRAVITY	EST	I EST I	DATA IS CO	A MANAGEMENT OF THE PARTY OF TH	Manager 11 and 14	(静)的	17
			-	TA	KEN	DATE	1	CASING PRESSURE	ž.		TUBING RESSURE		>	LOPE		DIAMETER		IGTH	(RAW GAS)	CSG PRESS		DAIABA	JAMES I		1.00	8
M	Ю.	DAY	YR.	MO.	DAY	YR.	1	(PSIG)	*		(PSIG)	- 1				4				,	[					8
11	-12	13-14	15-16	17-18	19-20	21-22	23	N 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		B 29		34	35	,	- 3839 -		44 45	49	50 53	54	55	CIG:	$\infty$ $\delta$	<u> </u>	F 35 45	
1	x	хх	хх	X X	XX			xxxx			xxx:			x x x		xxxx		XXX	xxxx	E	Eλ			A management		1,1
-	-	**	<del>                                     </del>		<del>                                     </del>	+==	<del></del>	<u> </u>			***	<del>^</del> +			`   -	<del>*   *</del>		<u> </u>	+ + + + + + + + + + + + + + + + + + + +	<del>  </del>	<del>-                                    </del>	OPERATOR:				
1	1		( ·			1	1		1	1		1			- 1				] ] ]		F		_2		anterior de la companya de la compan	3 / I
1	- 1		1. '	ونفرسا	1 0	1.79	1	223h	1	1		1			1				1   1	$l \geq 1$	1	COMMISSION	N:		425	
<b>—</b>		-	_ <b>-</b>					2 4 5D	<del></del>		<u></u>	-	REMAR	KS:		<del>-i</del>			<del></del>	<del></del>	<del></del>		<del></del>			
篮	<u> </u>				100		-	200				: .	RETURN.	\. \_y	12 miles	a lees in			rell o	. <del>*</del>	the war	A. SAL	hat we	mil	area of	. <b>.</b> .
, Jan	3			100	1 :		4 1				1. 18. 1			er e	465	A COLUMN TO THE PARTY OF THE PA	- A-6 A		ALM TO			1,10 minutes			***	***
					e a la l	1. 5	11	4.04		1.56			0.1	) ,	129			Ast 1.1		. <i>11</i> 7 - 1	+ 2*					
A Page	74.4			<del> </del>		1.55	<u> </u>				19			-	1-01		<del></del>			<del></del>						<i>30</i>

Form 3160-5 (December 1989)

#### **UNITED STATES** DEPARTMENT OF THE INTERIOR

FORM APPR	OVED
Budget Bureau No.	1004-0135
Expires: Septembe	r 30, 1990

DIBEALINE	LAND MANAGEMENT	5. Lease Designation and Serial No.
BUREAU OF I	ML-23612	
SUNDRY NOTICES	AND REPORTS ON WELLS	6. If Indian, Allonee or Tribe Name
	ill or to deepen or reentry to a different reservoir.	
	R PERMIT—" for Specific Property 1980	N/A
OSC ATTEIORITOTIC		7. If Unit or CA. Agreement Designation
SUBMIT	IN TRIPLICATE	7. If Unit of CA. Agreement Designation
1. Type of Weil	JUL 3 0 1990 🖘	Natural Buttes Unit
Oil Sas Other		B. Well Name and No.
2. Name of Operator	DIVISION OF	CIGE 55
CIG Exploration, Inc.	OIL, GAS & MINING	9. API Well No.
3. Address and Telephone No.		43-047-30512
P. O. Box 749, Denver, Colora	ado 80201-0749 (303) 573-4476	10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey De	escription)	Bitter Creek Field
_		11. County or Parish, State
1656' FWL & 2111' FNL		
Section 1, TlOS-R21E		Uintah, Utah
OUEOK ADDDODDIATE DOV	TO INDICATE MATURE OF MOTICE PER	<del></del>
12. CHECK APPROPRIATE BOX(	s) TO INDICATE NATURE OF NOTICE, REPO	JRI, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTIO	N
Notice of Intent	Abandonment	Change of Plans
<del></del>	Recompletion	New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing
	Casing Repair	☐ Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection
<del></del>	Other Returned we	11 to production
	(Note: Report result	s of multiple completion on Well Completion or
13. Describe Proposed or Completed Operations (Clearly state a	Recompletion Repor	t and Log form.)
		t and Log form.)
give subsurface locations and measured and true vertice	Recompletion Reporting the pertinent dates, including estimated date of start call depths for all markers and zones pertinent to this work.)*	t and Log form.) ing any proposed work. If well is directionally drilled
give subsurface locations and measured and true vertice	Recompletion Reporting the pertinent dates, including estimated date of start	t and Log form.)  ting any proposed work. If well is directionally drilled
give subsurface locations and measured and true vertice	Recompletion Reporting the pertinent dates, including estimated date of start call depths for all markers and zones pertinent to this work.)*	t and Log form.) ting any proposed work. If well is directionally drilled
give subsurface locations and measured and true vertice	Recompletion Reporting the pertinent dates, including estimated date of start call depths for all markers and zones pertinent to this work.)*	t and Log form.)  ting any proposed work. If well is directionally drilled
give subsurface locations and measured and true vertice	Recompletion Reporting the pertinent dates, including estimated date of start call depths for all markers and zones pertinent to this work.)*	t and Log form.) ting any proposed work. If well is directionally drilled
give subsurface locations and measured and true vertice	Recompletion Reporting the pertinent dates, including estimated date of start call depths for all markers and zones pertinent to this work.)*	OIL AND GAS  DEN RUF  JEB GLH
give subsurface locations and measured and true vertice	Recompletion Reporting the pertinent dates, including estimated date of start call depths for all markers and zones pertinent to this work.)*	oll AND GAS  DFN RJF
give subsurface locations and measured and true vertice	Recompletion Reporting the pertinent dates, including estimated date of start call depths for all markers and zones pertinent to this work.)*	OIL AND GAS  DEN RUF  JEB GLH
give subsurface locations and measured and true vertice	Recompletion Reporting the pertinent dates, including estimated date of start call depths for all markers and zones pertinent to this work.)*	OIL AND GAS  DEN RUF  JEB GLH
give subsurface locations and measured and true vertice	Recompletion Reporting the pertinent dates, including estimated date of start call depths for all markers and zones pertinent to this work.)*	OIL AND GAS  DEN RUF  JEB GLH  DIS SLS
give subsurface locations and measured and true vertice	Recompletion Reporting the pertinent dates, including estimated date of start call depths for all markers and zones pertinent to this work.)*	OIL AND GAS  DEN RUF  JEB GLH
give subsurface locations and measured and true vertice	Recompletion Reporting the pertinent dates, including estimated date of start call depths for all markers and zones pertinent to this work.)*	OIL AND GAS  DEN RUF  JEB GLH  LUS SLS
give subsurface locations and measured and true vertice	Recompletion Reporting the pertinent dates, including estimated date of start call depths for all markers and zones pertinent to this work.)*	OIL AND GAS  DEN RUF  JEB GLH  DIS SLS
give subsurface locations and measured and true vertice	Recompletion Reporting the pertinent dates, including estimated date of start call depths for all markers and zones pertinent to this work.)*	OIL AND GAS  DEN RUF  JEB GLH  LUS SLS
give subsurface locations and measured and true vertice	Recompletion Reporting the pertinent dates, including estimated date of start call depths for all markers and zones pertinent to this work.)*	OIL AND GAS  DEN RUF  JEB GLH  LUS SLS  1-Dave  2- MICROFILM
give subsurface locations and measured and true vertice	Recompletion Reporting the pertinent dates, including estimated date of start call depths for all markers and zones pertinent to this work.)*	OIL AND GAS  DEN RUF  JEB GLH  LUS SLS  1-Dave  2- MICROFILM
give subsurface locations and measured and true vertice	Recompletion Reporting the pertinent dates, including estimated date of start call depths for all markers and zones pertinent to this work.)*	OIL AND GAS  DEN RUF  JEB GLH  LUS SLS  1-Dave  2- MICROFILM
The above-referenced well was	Recompletion Reporting the pertinent dates, including estimated date of start call depths for all markers and zones pertinent to this work.)*	OIL AND GAS  DEN RUF  JEB GLH  LUS SLS  1-Dave  2- MICROFILM
give subsurface locations and measured and true vertice	Recompletion Reporting the pertinent dates, including estimated date of start call depths for all markers and zones pertinent to this work.)*  Sereturned to production July 5, 1990	OIL AND GAS  DEN RUF  JEB GLH  DIS SLS  1-DOF  2- MICROFILM  FILE
The above-referenced well was	Recompletion Reporting the pertinent dates, including estimated date of start call depths for all markers and zones pertinent to this work.)*	OIL AND GAS  DEN RUF  JEB GLH  LUS SLS  1-Dave  2- MICROFILM
The above-referenced well was  14. I hereby certify that the foregoing is true and correct  The above-referenced well was	Recompletion Reporting of the pertinent dates, including estimated date of startical depths for all markers and zones pertinent to this work.)*  Sereturned to production July 5, 1990	OIL AND GAS  DEN RUF  JEB GLH  DIS SLS  1-DOF  2- MICROFILM  FILE
The above-referenced well was  14. I hereby certify that the foregoing is true and correct  Signed Ellown Danis Day	Recompletion Reporting of the pertinent dates, including estimated date of startical depths for all markers and zones pertinent to this work.)*  Sereturned to production July 5, 1990	OIL AND GAS  DEN RUF  JEB GLH  DIS SLS  1-DOF  2- MICROFILM  FILE

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, ficutious or fraudulent statements or representations as to any matter within its jurisdiction.

## NATURAL BUTTES UNIT COASTAL OIL & GAS CORPORATED - OPERATED (COGC) COLORADO INTERSTATE GAS EXPLORATION - OPERATED (CIGE)

```
Natural Duck
  COGC 1-22-9-20
  COGC 2-22-9-20
Natural Buttes .
  COGC NBU (Ute Trail) #1W
  COGC NBU (Ute Trail) #1MV
  COGC NBU (Ute Trail) #7
  COGC NBU (Ute Trail) #52X
  COGC NBU (Ute Trail) #83X
  COGC NBU (Ute Trail) #88X
  COGC NBU #1
  COGC NBU #3
  COGC NBU #4
  COGC NBU #6
  COGC NBU #7
  COGC NBU #8
  COGC NBU #9
  COGC NBU #10
  COGC NBU #11
  COGC NBU #12
  COGC NBU #13
  COGC NBU #14
  COGC NBU #15
  COGC NBU #16
  COGC NBU #17
  COGC NBU #18
  COGC NBU #19
  COGC NBU #20
  COGC NBU #22
  COGC NBU #23N
  COGC NBU #24 N2
  COGC NBU #26
Highland (Coastal Operated)
  NBU #27
  NBU #27A
  NBU #28
  NBU #29
  NBU #31
  COGC NBU #32Y
  COGC NBU #33Y
  COGC NBU #35Y
  COGC NBU #36Y
  COGC NBU #37XP
  COGC NBU #38 N2
  COGC NBU #39N
  COGC NBU #41J
  COGC NBU #43 N
  COGC NBU #45N
```

COGC NBU #46N

GEIVE

DIVISION OF OM, GAS & MINING

```
COGC NBU #47 N2
COGC NBU #48 N3
COGC NBU #49 V
COGC NBU #50 N2
COGC NBU #51J
COGC NBU #52J
COGC NBU #53 N
COGC NBU #54 N
COGC NBU #56 N2
COGC NBU #57 N
COGC NBU #58 N2
COGC NBU #62 N
COGC NBU #63 N3
COGC NBU #64 N3
COGC NBU #65N3
COGC NBU #68 N2
COGC NBU #69 N2
COGC NBU #70 N3
COGC NBU #72 N3
COGC NBU #74 N3
COGC NBU #75N3
COGC NBU #80V
COGC NBU #81V
COGC NBU #83J
COGC NBU #84V
COGC NBU #85J
COGC NBU #86J
COGC NBU #87J
COGC NBU #98 V
CIGE NBU #2-29-20-21
CIGE NBU #3-32-9-22
CIGE NBU #4-9-10-21
CIGE NBU #5-31-9-22
CIGE NBU #6-19-9-21
CIGE NBU #7-8-10-21
CIGE NBU #8-35-9-22
CIGE NBU #9-36-9-22
CIGE NBU #10-2-10-22
CIGE NBU #11-14-9-20 (W)
CIGE NBU #13-7-10-21
CIGE NBU #14-9-10-22
CIGE NBU #15-8-10-22
CIGE NBU #16-20-10-22
CIGE NBU #18-2-10-21
CIGE NBU #19-16-9-21
CIGE NBU #20-20-10-22
CIGE NBU #21-15-10-22
CIGE NBU #22-15-9-10
CIGE NBU #23-7-10-22
CIGE NBU #24-29-9-22
CIGE NBU #25-34-9-22
CIGE NBU #27-33-9-22
CIGE NBU #28-35-9-21
CIGE NBU #30-6-10-21
CIGE NBU #31-1-10-22
```

CIGE NBU #32A-20-9-20

```
CIGE NBU #33-27-10-21
  CIGE NBU #34-13-10-20
  CIGE NBU #35-1-10-20
   CIGE NBU #36D-32-9-22
   CIGE NBU #37D-21-9-21P
   CIGE NBU #38-4-10-21
   CIGE NBU #40-3-10-21
   CIGE NBU #41-12-10-21
   CIGE NBU #42-25-9-21
   CIGE NBU #43-14-10-22
   CIGE NBU #44-9-9-21
   CIGE NBU #45-15-9-21
   CIGE NBU #46-21-9-21
   CIGE NBU #47-14-10-21
   CIGE NBU #48-15-10-21
   CIGE NBU #49-22-10-21
   CIGE NBU #51D-31-9-22P
   CIGE NBU #52-5-10-22
   CIGE NBU #53-6-10-22
   CIGE NBU #54D-35-9-21
                          105, DIE, 1 30512
CIGE NBU #55-1-10-21,
   CIGE NBU #56-34-9-21
   CIGE NBU #57-10-10-21
   CIGE NBU #58-16-10-21
   CIGE NBU #59-21-10-21
   CIGE NBU #60-14-9-21
   CIGE NBU #61-13-9-21
   CIGE NBU #62D-36-9-22P
 · CIGE NBU #63D-29-9-22P
   CIGE NBU #64D-33-9-22P
   CIGE NBU #65-19-10-22
   CIGE NBU #66-23-10-21
   CIGE NBU #67A-2-10-22P
   CIGE NBU #68D-35-9-22P
   CIGE NBU #69-19-10-21
   CIGE NBU #70-20-9-21
   CIGE NBU #71-7-9-21
   CIGE NBU #72-18-9-21
   CIGE NBU #73D-5-10-22P
   CIGE NBU #74D-6-10-22P
   CIGE NBU #75D-8-10-21P
   CIGE NBU #76D-9-10-21P
   CIGE NBU #77D-10-10-21P
   CIGE NBU #78C-16-9-21P
   CIGE NBU #79D-1-10-21P
   CIGE NBU #80D-2-10-21
   CIGE NBU #81D-4-10-21
   CIGE NBU #83D-7-10-22P
   CIGE NBU #84D-12-10-21P
   CIGE NBU #85D-29-10-21
   CIGE NBU #86D-16-9-21P
   CIGE NBU #87D-34-9-21P
   CIGE NBU #88D-15-10-21P
   CIGE NBU #89D-34-9-22J
```

CIGE NBU #90D-9-9-21J
CIGE NBU #91D-15-9-21J
CIGE NBU #92D-13-10-20J
CIGE NBU #93D-2-10-21J
CIGE NBU #94D-14-10-21J
CIGE NBU #95D-14-10-21J
CIGE NBU #99D-25-9-21J

COGC NBU #11-14-9-20

Bluebell (Coastal Operated)
Asay
Powell Fee #3
Powell Fee #4
Ute Tribal #1-31
Powell Fee #3 SWD

#### **TED STATES** DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

F	JKM A	PRU	AED	
Budget	Bureau	No.	1004-01	3

Expires: March 31, 1993

		5. Lease Designation and Senai No.
SUNDRY NOTICES AND F	ML-23612	
Do not use this form for proposals to drill or to	6. If Indian, Alottee or Tribe Name	
Use "APPLICATION FOR PI	ERMIT" - for such proposals	
	· · · · · · · · · · · · · · · · · · ·	N/A
		7. If Unit or CA, Agreement Designation
SUBMIT IN TR	RIPLICATE	Natural Buttes Unit
1. Type of Well		8. Well Name and No.
Oil Well X Gas Well Other		CIGE 55-1-10-21
2. Name of Operator		9. API Well No.
CIG Exploration, Inc.		43-047-30512
3. Address and Telephone No.		10. Field and Pool, Or Exploratory Area
P. O. Box 749, Denver, CO 80201-0749	(303) 573-4476	Natural Buttes
4. Location of Well (Footage, Sec., T., R., M., Or Survey Description)	(200)	11. County or Parish, State
2111' FNL & 1656' FWL		
SE/NW Section 1-T10S-R21E		Uintah County, Utah
12. CHECK APPROPRIATE BOX(S) TO	INDICATE NATURE OF NOTICE, REPO	DRT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF A	ACTION
X Notice of Intent	Abandonment	Change of Plans
_	Recompletion	New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing
	Casing Repair	Water Shut-Off
Final Abandonment Notice	Aftering Casing	Conversion to Injection
<del></del>	Other Lower Tubing & Install PL	E Dispose Water
	<b>y</b>	(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
13. Describe Proposed or Completed Operations (Clearly state all per		ate of starting any proposed work. If well is directionally
drilled, give subsurface locations and measured and tru vertical dept	ths for all markets and zones pertinent to this work.)*	
Please see the attached workover procedure for v	work to be performed on the subject well.	

DIV. OF OIL, GAS & MINING

14. Thereby certify that the foregoing is true and correct  Signed  Sheila-Bremer	тн Environmental & Safety Analyst	Dat	02/	/11/97
(This space for Federal or State office use)  APPROVED BY Conditions of approval, illany	Titl	Date	2/28/91	

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, ficticious or fraudulent statements or representations as to any matter within its jurisdiction.

#### CIGE #55-1-10-21 NATURAL BUTTES FIELD SECTION 1 T10S R21E WORKOVER PROCEDURE HUM

#### WELL DATA

LOCATION:

2111' FNL 1656' FWL SEC. 1 T10S R21E

**ELEVATION:** 

5060' GR., 5082' KB.

PBTD 6170' (1978)

CSG:

6200', PBTD 6170' 9-5/8", 36.0#, K-55

@ 232' w/ 150 SX. 4-1/2", 11.6#, N-80 @ 6200' w/ 1505 SX.

CMT ANNULUS

w/ 600 SX.

TBG:

FORMATION(S):

2-3/8", 4.7#, J-55 @ 5074' WASATCH 5249' - 6086', 23 HOLES (1978)

#### **PROCEDURE**

- MI & RU pulling unit. Blow down & safely kill well  $\ensuremath{\text{w}}/$ 1. minimum amount 3% KCL water. ND WH. NU BOP.
- 2. TIH & land tbg @ 5844' (BP @ 6086'). ND BOP. NU WH. RD pulling unit.
- Install PLE. Swab/flow well and return to production. 3.

- PAYERS

#### CIGE #55-1-10 NATURAL BUTTES FIELD SECTION 1 T10S R21E

#### WELL DATA

LOCATION: 2111' FNL 1656' FWL SEC. 1 T10S R21E

5060' GR., 5082' KB. **ELEVATION:** 

TD: 6200', PBTD 6170' (1978)

9-5/8", 36.0#, K-55 4-1/2", 11.6#, N-80 CSG: @ 232' w/ 150 SX. @ 6200' w/ 1505 SX.


CMT ANNULUS w/ 600 SX.

TBG:

Za.

2-3/8", 4.7#, J-55 @ 5074'

WASATCH 5249' - 6086', 23 HOLES (1978) FORMATION(S):



Form 3160-5

- (June 1990)

1998,02-24

16:34

#590 P.03/03

NITED STATES DEPARTMENT OF THE INTERIOR RURFALLOF LAND MANAGEME

FORM APPROVED

Budgel Bureau No. 1004-0135

	TOTAL OF ENGINE WENTER	PEMEN I	Expires: March 31, 1993
no not use this form for brok	NOTICES AND REPORT	reentry to a different reservoir.	Lease Designation and Serial Ng.     MI23612     Hindian, Alottee or Tribe Name
Use "APP	LICATION FOR PERMIT" -	for such proposals	
			N/A
•	61		7. If Unit or CA, Agreement Designation
1. Type of Well	SUBMIT IN TRIPLICAT	E	Natural Buttes Unit
			a. Well Name and No.
Oil Well X Gas Well  2. Name of Operator	Other		CIGE 55-1-10-21
			9. API Well No.
Coastal Oil & Gas Corporation 3. Address and Telephone No.			43-047-30512
1			10. Field and Pool, Or Exploratory Area
P. O. Box 749, Denver, CO 80.  4. Location of Well (Footage, Sec., T., R., M., Or	201-0749	(303) 573-4476	Natural Buttes
	evirey Description)	,	11. County or Farish, State
2111' FNL & 1656' FWL	•		1
SE/NW Section 1-T10S-R21E			Uintah County, Utah
12. CHECK APPROPRIA	ATE BOX(S) TO INDICAT	E NATURE OF NOTICE, REPOR	I OR OTHER DATA
TYPE OF SUBMISSION	N	TYPE OF ACT	
Notice of Intent		Abandonment	
1		Recompletion	Change of Plans New Construction
X Subsequent Report		Plugging Beck	Non-Routine Fracturing
ŧ		Gasing Repair	Water Shut-Off
Final Abandonment Notice		Altering Casing	Conversion to Injection
	X	oner Lower Tubing & Install PLE	Dispose Water
		· . · · · · · · · · · · · · · · · · · ·	(NOTE: Report results of multiple completies on We
<ol> <li>Describe Proposed or Completed Operation drilled, give subsurface locations and measure</li> </ol>	ris (Clearly state all pertinent details, a	and give pertinent dates, including estimated date of	of starting any proposed work. If well is directionally
		sam aug sound bechusuir in ivit mô(4*).	•
.1			
Please see the attached chronolo	ogiaal biistory fan an aws		
r remo has me susception offoliate	Steer manny for obeignous	performed on the subject well	
	•		
i ·			
:			
		· · · ·	•
	•		
:	_	·	
	•		
. ,			
14. I hereby certify that the pregoing is true and co	red ,		
signed Shela B	men former	Environmental & Safety Analyst	A#/64 to a
Sheila Bremer	1861	MANUAL OF SHIEF AUSTRAL	07/07/97
(This space for Federal or State office use)			
ABBOONEN DU			

"See Instruction on Reverse Side

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make is any desartment or agency of the United States any false, ficticious or froudulent statements or

Conditions at approval, if any:

representations as to any matter within its jurisdiction,

## THE COASTAL CORPORATION PRODUCTION REPORT

#### **CHRONOLOGICAL HISTORY**

**CIGE #55** 

Natural Buttes Unit Uintah County, Utah WI: 100%, TD: 6200' CSG: 4½" @ 6200',

PERFS: 5249'-6086'

#### -awers moincand insialic 2 se

06/07/97

RIH w/tbg & tag PBTD: Road Rig from CIGE #100D to CIGE #55. MIRU. SICP 300 psi, FTP 180 psi. Blow well dn. Pmp 20 bbls dn tbg. ND WH & NU BOPs w/hydril & SH. RU floor. PU & LD hanger. RU broach & broach tbg to SN. Talley & PU & RIH w/tbg, tag @ 6052'. RU swivel & break circ air-foam & clean out from 6062' to 6109'. Circ hole clean. RD swivel. POOH to float & LD pmp 10 bbls dn tbg. POOH w/tbg from perf to

EOT 5020'. SDFN DC: \$7,433

TC: \$7,433

Page 1

06/08/97

SI for build-up. SICP 200 psi, SITP 200 psi. Blow well dn. RIH w/tbg to 6109' PBTD, no fill. LD 10 jts tbg & broach tbg. PU hanger & land tbg w/188 jts 2\%" 4.7 J55 tbg w/ NC & SN, EOT @ 5829' & SN @ 5798'. RD floor. ND BOPs w/ hydril & SH. NU WH. RU air unit & try reverse wtr out. RD Unit & install PLE stop. RU swab & swab, made 2 runs, rec 15 BLW, IFL 4000', FFL 3000'. Blow to pit. RDMO & PU @ 1:30 PM. MI & RU Delsco & swab. Made 2 runs, rec 15 BLW, IFL 4500', FFL 4500' & blow to pit. SICP 350 psi, FTP 50 psi. SDFN @ 5 PM. When CO to PBTD @ 6109', rec frac balls & stop w/NC. DC: \$10,207

06/09/97

400# TP, 440# CP. SI for build-up.

06/10/97

SITP 100 psi, SICP 450 psi. SI for build-up.

06/11-17/97

SITP 25 psi, CP 450. SI for build-up.

06/18/97

SICP 450 psi, SITP 50 psi. Logged off.

06/19/97

ITP 0 psi, ICP 500 psi, IFL 4600'. Made 2 swab runs, tripped plunger 3 times, rec 10 BLW. Put well on line selling. FTP 380 psi, FCP 480 psi, FFL 4600'. Pmpd 20 BLWTR, rec 10 BLW.

BLW, 10 BLWTR.

DC: \$613

TC: \$18,253

06/19/97

Flowing 0 MCF, 5 BW, 300 SITP, 460 SICP, on 64/64" chk. Plunger coming up, but dehy valves were closed.

vaives were close

06/20/97

Flowing 32 MCF, 3 BW, 300 TP, 350 CP, on 48/64" chk.

06/21/97	Flowing 158 MCF, 1 BW, 130 TP, 350 CP, on 48/64" chk.
06/22/97	Flowing 201 MCF, 1 BW, 145 TP, 330 CP, on 48/64" chk. Prior Production: Flowing 74 MCF, 0 BW, 130 TP, 300 CP, on 20/64" chk. Final Report
06/26/97	Well on line selling. MIRU Delsco WL, run broach to SN, tight spot @ 750'-1030'. Plunger would not go to btm. Chased plunger to btm, trip plunger. RD. Put well on line. DC: \$878

### TED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FC	ORM AP	PRO	OVED
Budget	Bureau	No.	1004-0135

Expires: March 31, 1993

		Lease Designation and Serial No.
SUNDRY NOTICES AND	ML-23612	
Do not use this form for proposals to drill or to	6. If Indian, Alottee or Tribe Name	
	PERMIT" - for such proposals	·
	· ·	N/A
		7. If Unit or CA, Agreement Designation
SUBMIT IN TI	DIDI ICATE	Natural Buttes Unit
1. Type of Well	NFLICATE	8. Well Name and No.
Oil Well X Gas Well Other		CIGE 55-1-10-21
2. Name of Operator		9. API Well No.
Coastal Oil & Gas Corporation		43-047-30512
3. Address and Telephone No.		10. Field and Pool, Or Exploratory Area
P. O. Box 749, Denver, CO 80201-0749	(303) 573-4476	Natural Buttes
4. Location of Well (Footage, Sec., T., R., M., Or Survey Description)	(303)373 1110	11. County or Parish, State
2111' FNL & 1656' FWL		
SE/NW Section 1-T10S-R21E		Uintah County, Utah
12. CHECK APPROPRIATE BOX(S) TO	INDICATE NATURE OF NOTICE, REPO	RT. OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF A	
Notice of Intent	Abandonment	Change of Plans
Trouble of Milani		
Y Cubassuari Based	Recompletion	New Construction
X Subsequent Report	Plugging Back	Non-Routine Fracturing
	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection
	X Other Lower Tubing & Install PLI	Dispose Water (NOTE: Report results of multiple completion on Wel
		Completion or Recompletion Report and Log form."
<ol> <li>Describe Proposed or Completed Operations (Clearly state all pe drilled, give subsurface locations and measured and true vertical de</li> </ol>	rtinent details, and give pertinent dates, including estimated da only for all markets and zones pertinent to this work \"	te of starting any proposed work. If well is directionally
	point of an markage and zoires pertinent to this work.)	
Please see the attached chronological history for	operations performed on the subject well.	
	11()){	ECEIVEM
	In/	JUL 10 1997     <i>   </i>
	/ ( )	
	اصا	
	DIV. (	OF OIL, GAS & MINING

4. I hereby certify that the pregoing is true and correct Signey Aula Bound	тие Environmental & Safety Analyst		07/07/07
Sheila Bremer	Ine Environmental & Safety Analyst	Date	07/07/97
(This space for Federal or State office use)	The state of the s		*****
APPROVED BY Conditions of approval, if any:	Title	Date	

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, ficticious or fraudulent statements or representations as to any matter within its jurisdiction.

## THE COASTAL CORPORATION PRODUCTION REPORT

#### CHRONOLOGICAL HISTORY

**CIGE #55** 

Natural Buttes Unit Uintah County, Utah WI: 100%, TD: 6200'

CSG: 4½" @ 6200', PERFS: 5249'-6086'

#### Lower Lubing and Install PLE

06/07/97

RIH w/tbg & tag PBTD: Road Rig from CIGE #100D to CIGE #55. MIRU. SICP 300 psi, FTP 180 psi. Blow well dn. Pmp 20 bbls dn tbg. ND WH & NU BOPs w/hydril & SH. RU floor. PU & LD hanger. RU broach & broach tbg to SN. Talley & PU & RIH w/tbg, tag @ 6052'. RU swivel & break circ air-foam & clean out from 6062' to 6109'. Circ hole clean. RD swivel. POOH to float & LD pmp 10 bbls dn tbg. POOH w/tbg from perf to EOT 5020'. SDFN

DC: \$7,433

TC: \$7,433

Page 1

06/08/97

SI for build-up. SICP 200 psi, SITP 200 psi. Blow well dn. RIH w/tbg to 6109' PBTD, no fill. LD 10 jts tbg & broach tbg. PU hanger & land tbg w/188 jts 2\%" 4.7 J55 tbg w/ NC & SN, EOT @ 5829' & SN @ 5798'. RD floor. ND BOPs w/ hydril & SH. NU WH. RU air unit & try reverse wtr out. RD Unit & install PLE stop. RU swab & swab, made 2 runs, rec 15 BLW, IFL 4000', FFL 3000'. Blow to pit. RDMO & PU @ 1:30 PM. MI & RU Delsco & swab. Made 2 runs, rec 15 BLW, IFL 4500', FFL 4500' & blow to pit. SICP 350 psi, FTP 50 psi. SDFN @ 5 PM. When CO to PBTD @ 6109', rec frac balls & stop w/NC. DC: \$10,207

06/09/97

400# TP, 440# CP. SI for build-up.

06/10/97

SITP 100 psi, SICP 450 psi. SI for build-up.

06/11-17/97

SITP 25 psi, CP 450. SI for build-up.

06/18/97

SICP 450 psi, SITP 50 psi. Logged off.

06/19/97

ITP 0 psi, ICP 500 psi, IFL 4600'. Made 2 swab runs, tripped plunger 3 times, rec 10 BLW. Put well on line selling. FTP 380 psi, FCP 480 psi, FFL 4600'. Pmpd 20 BLWTR, rec 10 BLW, 10 BLWTR.

DC: \$612

DC: \$613

TC: \$18,253

06/19/97

Flowing 0 MCF, 5 BW, 300 SITP, 460 SICP, on 64/64" chk. Plunger coming up, but dehy valves were closed.

06/20/97

Flowing 32 MCF, 3 BW, 300 TP, 350 CP, on 48/64" chk.

06/21/97	Flowing 158 MCF, 1 BW, 130 TP, 350 CP, on 48/64" chk.
06/22/97	Flowing 201 MCF, 1 BW, 145 TP, 330 CP, on 48/64" chk. Prior Production: Flowing 74 MCF, 0 BW, 130 TP, 300 CP, on 20/64" chk. Final Report
06/26/97	Well on line selling. MIRU Delsco WL, run broach to SN, tight spot @ 750'-1030'. Plunger would not go to btm. Chased plunger to btm, trip plunger. RD. Put well on line. DC: \$878  TC: \$19,131

Form 3160-5 (June 1990)

Conditions of approval, if any:

## TTED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT



#### FORM APPROVED

Budget Bureau No. 1004-0135

Expires: March 31, 1993

Expires: March 31, 1993

		5. Lease Designation and Serial No.
SUNDRY NOTICES AND	REPORTS ON WELLS	ML-23612
Do not use this form for proposals to drill or to		6. If Indian, Alottee or Tribe Name
Use "APPLICATION FOR I	PERMIT" - for such proposals	
	the side of the contract of the side of th	N/A
	MODECEIVEIN	7. If Unit or CA, Agreement Designation
SUBMIT IN T	RIPLICATE )	Natural Buttes Unit
1. Type of Well	0 400 02 1009	8. Well Name and No.
Oil Well X Gas Well Other	[	CIGE 55-1-10-21
2. Name of Operator		9. API Well No.
Coastal Oil & Coa Companyion	DIV. OF OIL, GAS & MINING	42.04
Coastal Oil & Gas Corporation  3. Address and Telephone No.	DIV. Of OIL, ONG W	43-047-30512 10. Field and Pool, Or Exploratory Area
B O B 740 D CO 90201 0740	(202) 550 4156	
P. O. Box 749, Denver, CO 80201-0749  4. Location of Well (Footage, Sec., T., R., M., Or Survey Description)	(303) 573-4476	Natural Buttes
2111' FNL & 1656' FWL		C. Godiny of Finance and
SE/NW Section 1-T10S-R21E		Uintah County, Utah
12. CHECK APPROPRIATE BOX(S) TO	D INDICATE NATURE OF NOTICE, REPOR	T OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACT	
Notice of Intent		
	Abandonment	Change of Plans
X Subsequent Report	Recompletion	New Construction
11 Goodedadii Nepoli	Plugging Sack	Non-Routine Fracturing
Final Abandonment Notice	Casing Repair	Water Shut-Off
Files Abendoning in Pouce	Altering Casing  X Other Lower Tubing & Install PLE	Conversion to Injection
	Lower Honig & Historic	Dispose Water     Dispose Water     Dispose Water
13. Describe Proposed or Completed Operations (Clearly state all pr	i ertinent details, and give pertinent dates, including estimated date	Completion or Recompletion Report and Log form.
drilled, give subsurface locations and measured and true vertical d	epths for all markets and zones pertinent to this work.)*	a company any proposed work to won to discontinui
Please see the attached chronological history for	constrations performed on the subject well	
1 tomo Dee me atmende om one or officer motory 10.	operations performed on the subject wen.	•
	•	
•		
14. I hereby certify that the pregoing is true and correct		
signer Shula Bremer	1	
	Tite Environmental & Safety Analyst	Data 07/07/07
Sheila Bremer	Title Environmental & Safety Analyst	Date 07/07/97
Sheila Bremer (This space for Federal or State office use)	Tibe Environmental & Safety Analyst	Date 07/07/97
	Title Environmental & Safety Analyst	Date 07/07/97

## STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL. GAS AND MINING

		DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER:
	SUNDRY	NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do		ew wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to lerals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT or CA AGREEMENT NAME:
1, 1	YPE OF WELL OIL WELL	GAS WELL OTHER	B. WELL NAME and NUMBER:
			Exhibit "A"
2. 1	AME OF OPERATOR:	Production Oil & Gas Company	9. API NUMBER:
3. A	DORESS OF OPERATOR:	PHONE NUMBER:	10, FIELD AND POOL, OR WILDCAT:
	outh 1200 East or		
4. L	DCATION OF WELL		COUNTY: 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1
	TRIQTR, SECTION, TOWNSHIP, RAN	GE, MERIDIAN:	STATE: UTAH
11.	CHECK APP	ROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA
	TYPE OF SUBMISSION	TYPE OF ACTION	
	NOTICE OF INTENT	ACIOIZE DEEPEN	REPERFORATE CURRENT FORMATION
ப	(Submit in Duplicate)	ALTER CASING FRACTURE TREAT	SIDETRACK TO REPAIR WELL
	Approximate date work will start:	CASING REPAIR NEW CONSTRUCTION	TEMPORARILY ABANDON
		CHANGE TO PREVIOUS PLANS DEPERATOR CHANGE	TUBING REPAIR
		CHANGE TUBING PLUG AND ABANDON	VENT OR FLARE
	SUBSEQUENT REPORT	CHANGE WELL NAME PLUG BACK	WATER DISPOSAL
	(Submit Original Form Only)	CHANGE WELL STATUS PRODUCTION (START/RESUME)	WATER SHUT-OFF
	Date of work completion:	COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL, SITE	
		CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION	X OTHER: Name Change
12.	As a result of t	MPLETED OPERATIONS. Clearly show all perlinent details including dates, depths, volume the merger between The Coastal Corporation and Paso Energy Corporation, the name of Coastal	a wholly owned
	has been changed	to El Paso Production Oil & Gas Company effe	ctive March 9, 2001.
		See Exhibit "A"	

Bond # 400JU0708

Coastal Oil & Gas Corporation

NAME (PLEASE PRINT) John T Elzaer TITLE Vice President

DATE Vic-15-0/

El Paso Production Oil & Gas Company

NAME (PLEASE PRINT) John T Elzner TITLE Vice President

SIGNATURE DATE 06-15-0/

RECEIVED

JUN 19 2001

# State of Delaware Office of the Secretary of State

PAGE 1

I, HARRIET SMITH WINDSOR, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECT COPY OF THE CERTIFICATE OF AMENDMENT OF "COASTAL OIL & GAS CORPORATION", CHANGING ITS NAME FROM "COASTAL OIL & GAS CORPORATION" TO "EL PASO PRODUCTION OIL & GAS COMPANY", FILED IN THIS OFFICE ON THE NINTH DAY OF MARCH, A.D. 2001, AT 11 O'CLOCK A.M.

RECEIVED

JUN 🔡 2001

DIVISION OF DIL, GAS AND MINING

Warriet Smith Windson, Secretary of State

AUTHENTICATION: 1061007

DATE: 04-03-01

0610204 8100

010162788

#### CERTIFICATE OF AMENDMENT

OF

#### CERTIFICATE OF INCORPORATION

COASTAL OIL & GAS CORPORATION (the "Company"), a corporation organized and existing under and by virtue of the General Corporation Law of the State of Delaware, DOES HEREBY CERTIFY:

FIRST: That the Board of Directors of the Company, by the unanimous written consent of its members, filed with the minutes of the Board, adopted a resolution proposing and declaring advisable the following amendment to the Certificate of Incorporation of the Company:

RESOLVED that it is deemed advisable that the Certificate of Incorporation of this Company be amended, and that said Certificate of Incorporation be so amended, by changing the Article thereof numbered "FIRST." so that, as amended, said Article shall be and read as follows:

"FIRST. The name of the corporation is El Paso Production Oil & Gas Company."

SECOND: That in lieu of a meeting and vote of stockholders, the stockholders entitled to vote have given unanimous written consent to said amendment in accordance with the provisions of Section 228 of the General Corporation Law of the State of Delaware.

THIRD: That the aforesaid amendment was duly adopted in accordance with the applicable provisions of Sections 242 and 228 of the General Corporation Law of the State of Delaware.

IN WITNESS WHEREOF, said COASTAL OIL & GAS CORPORATION has caused this certificate to be signed on its behalf by a Vice President and attested by an Assistant Secretary, this 9th day of March 2001.

COASTAL OIL & GAS CORPORATION

David L. Siddall Vice President

Attest:

ret E. Roark, Assistant Secretary

STATE OF DELAWARE SECRETARY OF STATE DIVISION OF CORPORATIONS FILED 11:00 AM 03/09/2003

JUN 19 2001

RECEIVED



## United States Department of the Interior

#### **BUREAU OF LAND MANAGEMENT**

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

### RECEIVED

JUL 1 2 2001

DIVISION OF OIL, GAS AND MINING

In Reply Refer To: 3106 UTSL-065841 (UT-924)

JUL 1 0 2001 -

#### **NOTICE**

El Paso Production Oil & Gas Company Nine Greenway Plaza

Houston TX 77046-0095

Oil and Gas

#### Name Change Recognized

Acceptable evidence has been received in this office concerning the name change of <u>Coastal Oil & Gas Corporation</u> into <u>El Paso Production Oil & Gas Company</u> with <u>El Paso Production Oil & Gas Company</u> being the surviving entity.

For our purposes, the name change is recognized effective March 9, 2001.

The oil and gas lease files identified on the enclosed exhibit have been noted as to the name change. The exhibit was compiled from a list of leases obtained from our computer program. We have not abstracted the lease files to determine if the entities affected by this name change hold an interest in the leases identified nor have we attempted to identify leases where the entitities are the operator on the ground maintaining no vested recorded title or operating rights interests. We will be notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

If you identify additional leases in which the entities maintain an interest, please contact this office and we will appropriately document those files with a copy of this Notice.

Due to the name change, the name of the principal/obligor on the bond is required to be changed from <u>Coastal Oil & Gas Corporation</u> to <u>El Paso Production Oil & Gas Company</u>. You may accomplish this either by consent of surety rider on the original bond or a rider to the original bond. The bonds are held in Wyoming and Colorado.

Opolonia L. Abeyta Acting Chief, Branch of Minerals Adjudication

Enclosure

1. Exhibit of Leases (1 pp)

cc: Moab Field Office

Vernal Field Office

MMS, Reference Data Branch, MS3130, PO Box 5860, Denver CO 80217

Attn: Jim Thompson (Ste. 1210), Box 145801, SLC UT 84114

Teresa Thompson (UT-922) Joe Incardine (UT-921)

### **Exhibit of Leases**

UTUSL-065841A	UTU-47172	UTU-74415	UTU-53860
UTU-28652	UTU-50687	UTU-74416	UTU-66401
UTU-37943	UTU-52298	UTU-75091	UTU-67868
UTU-44089	UTU-0109054	UTU-75096	UTU-65389
UTU-44090A	UTU-0143511	UTU-75097	UTU-77084
UTU-61263	UTU-0143512	UTU-75673	UTU-61430
UTU-00343	UTU-38401	UTU-76259	UTU-72633
UTU-02651	UTU-38411	UTU-76260	UTU-72650
UTU-02651B	UTU-38418	UTU-76261	UTU-49692
UTU-0142175	UTU-38419	UTU-76493	UTU-57894
UTU-70235	UTU-38420	UTU-76495	UTU-76829
UTU-70406	UTU-38421	UTU-76503	UTU-76830
UTU-74954	UTU-38423	UTU-78228	UTU-76831
UTU-75132	UTU-38424	UTU-78714	
UTU-75699	UTU-38425	UTU-78727	
UTU-76242	UTU-38426	UTU-78734	
UTU-78032	UTU-38427	UTU-79012	
UTU-4377	UTU-38428	UTU-79011	
UTU-4378	UTU-53861	UTU-71694	
UTU-7386	UTU-58097	UTU-00576	
UTU-8344A	UTU-64376	UTU-00647	
UTU-8345	UTU-65222	UTU-01470D	
UTU-8347	UTU-65223	UTU-0136484	
UTU-8621	UTU-66746	UTU-8344	
UTU-14646	UTU-67178	UTU-8346	
UTU-15855	UTU-67549	UTU-8648	
UTU-25880	UTU-72028	UTU-28212	
UTU-28213	UTU-72632	UTU-30289	
UTU-29535	UTU-73009	UTU-31260	
UTU-29797	UTU-73010	UTU-33433	
UTU-31736	UTU-73013	UTU-34711	
UTU-34350	UTU-73175	UTU-46699	
UTU-34705	UTU-73434	UTU-78852	
UTU-37116	UTU-73435	UTU-78853	
UTU-37355	UTU-73444	UTU-78854	
UTU-37573	UTU-73450	UTU-075939	
UTU-38261	UTU-73900	UTU-0149767	
UTU-39223	UTU-74409	UTU-2078	
UTU-40729	UTU-74410	UTU-44426	
UTU-40736	UTU-74413	UTU-49530	
UTU-42469	UTU-74414	UTU-51026	
	•		

#### Division of Oil, Gas and Mining

#### **OPERATOR CHANGE WORKSHEET**

ROUTING

i. GLH /	4-KAS
2. CDW√	5-LP V
3. JLT	6-FILE

Enter date after each listed item is completed

Change of Operator (Well Sold)

Designation of Agent

Operator Name Change (Only)

 $\mathbf{X}$ Merger

FROM: (Old Operator):		TO: ( No	w Operator):			
COASTAL OIL & GAS CORPORATION	<del></del> -		PRODUCTION	NOU & C	AS COM	DANIV
Address: 9 GREENWAY PLAZA STE 2721			9 GREENWA			
Address: 9 GREENWAY PLAZA STE 2/21		Address:	9 GREEN WA	AI PLAZA	SIE 2/21	KM 29731
HOUSTON, TX 77046-0995		HOUSTO	N, TX 77046-	0995		
Phone: 1-(713)-418-4635		Phone:	1-(832)-676	4721		
Account N0230		Account	N1845			
	A No.	Unit:	NATURAL 1	DITTES	<u> </u>	<u> </u>
WELL(S)	X 11U.	Onit.	NATURAL	DUILES		<u>-</u>
Windston .	API	ENTITY	SEC TWN	LEASE	WELL	WELL
NAME	NO	NO	RNG	TYPE	TYPE	STATUS
CIGE 96D-32-9-22	43-047-31730	2900	32-09S-22E	STATE	GW	P
CIGE 106D-32-9-22	43-047-31746	2900	32-09S-22E	STATE	GW	P
NBU 157	43-047-32007	2900	32-09S-22E	STATE	GW	P
NBU 161	43-047-32023	2900	32-09S-22E	STATE	GW	P
CIGE 173-32-9-22	43-047-32324	2900	32-09S-22E	STATE	GW	P
NBU 281	43-047-32866	2900	32-09S-22E	STATE	GW	P
NBU 282	43-047-32867	2900	32-09S-22E	STATE	GW	P
CIGE 190-32-9-22	43-047-32912	2900	32-09S-22E	STATE	GW	P
NBU CIGE 241-32-9-22	43-047-33208	2900	32-09S-22E	STATE	GW	P
NBU 5-36B	43-047-30272	2900	36-09S-22E	STATE	GW	P
NBU CIGE 9-36-9-22	43-047-30419	2900	36-09S-22E	STATE	GW	P
NBU CIGE 62D-36-9-22	43-047-30885	2900	36-09S-22E	STATE	GW	P
NBU 213-36J	43-047-31268	2900	36-09S-22E	STATE	GW	P
CIGE 162-36-9-22	43-047-32164	2900	36-09S-22E	STATE	GW	P
NBU 318-36E	43-047-32204	2900	36-09S-22E	STATE	GW	P
NBU 343-36E	43-047-32205	2900	36-09S-22E	STATE	GW	P
CIGE 221-36-9-22	43-047-32868	2900	36-09S-22E	STATE	GW	P
NBU CIGE 92D-13-10-20J	43-047-31162	2900	13-10S-20E	STATE	ĞW	P
NBU 74	43-047-31087	2900	24-10S-20E	STATE	GW	P
NBU CIGE 55-1-10-21	43-047-30512	2900	01-10S-21E	STATE	GW	P
OPERATOR CHANGES DOCUMENTATI	ON					
1. (R649-8-10) Sundry or legal documentation was reco	eived from the FORM	ER operator	r on:	06/19/200	1	
2. (R649-8-10) Sundry or legal documentation was rec	eived from the NEW or	perator on		06/19/200	1	
3. The new company has been checked through the <b>De</b>			of Corporati			06/21/200
			-			
4. Is the new operator registered in the State of Utah:	YES	Business N	Jumber:	608186-014	13	

5.	If NO, the operator was contacted contacted on:	N/A	-	
6.	Federal and Indian Lease Wells: The BLM and or operator change for all wells listed on Federal or Indian		roved the (merger, 07/10/2001	name change,
7.	Federal and Indian Units: The BLM or BIA has for wells listed on:	approved the succe	essor of unit operate	or
8.	Federal and Indian Communization Agreem change for all wells listed involved in a CA on:	nents ("CA"): The	BLM or the BIA ha	as approved the operator
9.	Underground Injection Control ("UIC") for the enhanced/secondary recovery unit/project for the			ansfer of Authority to Inject, N/A
$\overline{\mathbf{n}}$	ATA ENTRY:	•		
1.	Changes entered in the Oil and Gas Database on:	07/19/2001		
2.	Changes have been entered on the Monthly Operator Cl	nange Spread Sheet o	n: <u>07/19/2001</u>	
3.	Bond information entered in RBDMS on:	N/A		
4.	Fee wells attached to bond in RBDMS on:	N/A		
SI	ATE BOND VERIFICATION:	· · · · · · · · · · · · · · · · · · ·	<u></u>	
1.	State well(s) covered by Bond No.:	400ЛU0705		
FI	DERAL BOND VERIFICATION:			
1.	Federal well(s) covered by Bond No.:	N/A		
FI	E WELLS - BOND VERIFICATION/LEASE	INTEREST OW	NER NOTIFICAT	TION:
	(R649-3-1) The NEW operator of any fee well(s) listed co		N/A	
2.	The FORMER operator has requested a release of liability The Division sent response by letter on:	r from their bond on: N/A	<u>N/A</u>	
3.	(R649-2-10) The <b>FORMER</b> operator of the Fee wells has of their responsibility to notify all interest owners of this cl		ormed by a letter from	the Division
FI	LMING:			
	All attachments to this form have been MICROFILMED	on:		
FT	LING:	<del>***</del> ****		
	ORIGINALS/COPIES of all attachments pertaining to each	ch individual well have	been filled in each wel	ll file on:
CC	MMENTS: Master list of all wells involved in opera	ator change from C	oastal Oil & Gas Co	rporation to El Paso
Pro	oduction Oil and Gas Company shall be retained in	n the "Operator Cha	inge File".	
_				/- t

JAN. 17. 2003 3:34PM





NO. 173 P. 2

#### WESTPORT OIL AND GAS COMPANY, L.P.

410 Seventmenth Street #2300 Deriver Colorado 80202-4436 Telephonet 303 573 5404 Fest: 303 573 5609

February 1, 2002

Department of the Interior Bureau of Land Management 2850 Youngfield Street Lakewood, CO 80215-7093 Attention: Ms. Martha Maxwell

RE:

BLM Bond CO-1203

BLM Nationwide Bond 158626364
Surety — Commental Casualty Company
Belco Energy Corporation marger into Westport Oil and Gas Company, Inc.
Conversion of Westport Oil and Gas Company, Inc., into Westport Oil and Gas Company, L.P.
Assumption Rider — Westport Oil and Gas Company, L.P.

#### Dear Ms. Maxwell:

Pursuant to our recent conversations, please find the following list of enclosures for the BLM's consideration and approval:

Two (2) Assumption Riders, folly executed originals.

Copies of Beice Energy Corporation merger into Westport Oil and Gas Company, Inc., Copies of Westport Oil and Gas Company, Inc., conversion into Westport Oil and Gas Company, L.P.

List of all Federal/BIA/State Leases - Beloo/Westport's leases - in all states.

Please inform us of any additional information needed to complete the change to Westport Oil and Gas Company, L.P., as operator of record.

I thank you for your assistance and cooperation in this matter. Please do not hesitate contacting the undersigned, should a question arise.

Sincerely,

Westport Oil and Gas Company, L.P.

Debby J. Black Engineer Technician

Engl:



## United States Department of the Interior RECEIVED

#### **BUREAU OF LAND MANAGEMENT**

FEB 2 2 2002

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

DIVISION OF OIL, GAS AND MINING

In Reply Refer To: 3106 UTU-25566 et al (UT-924)

FEB 2 1 2002

#### **NOTICE**

Westport Oil and Gas Company L.P.

Oil and Gas

410 Seventeenth Street, #2300

•

Denver Colorado 80215-7093

.

#### Name Change Recognized

Acceptable evidence has been received in this office concerning the name change of <u>Westport Oil</u> and <u>Gas Company, Inc.</u> into <u>Westport Oil and Gas Company, L.P.</u> with <u>Westport Oil and Gas Company, L.P.</u> being the surviving entity.

For our purposes, the name change is recognized effective December 31, 2001.

The oil and gas lease files identified have been noted as to the name change. The exhibit was compiled from a list of leases obtained from our computer program. We have not abstracted the lease files to determine if the entities affected by this name change hold an interest in the leases identified nor have we attempted to identify leases where the entities are the operator on the ground maintaining no vested recorded title or operating rights interests. We will be notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

If you identify additional leases in which the entities maintain an interest, please contact this office and we will appropriately document those files with a copy of this Notice.

Due to the name change, the name of the principal/obligor on the bond is required to be changed from Westport Oil and Gas Company, Inc. to Westport Oil and Gas Company, L.P.. You may accomplish this either by consent of surety rider on the original bond or a rider to the original bond. The bonds are held in Colorado.

UTU-03405 UTU-20895 UTU-25566 UTU-43156 UTU-49518 UTU-49519 UTU-49522 UTU-49523

> Robert Lopez Chief, Branch of Minerals Adjudication

cc: Moab Field Office Vernal Field Office

MMS, Reference Data Branch, MS3130, PO Box 5860, Denver CO 80217 State of Utah, DOGM, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC UT 84114 Teresa Thompson (UT-922) Joe Incardine (UT-921)

UNITED STATES GOVERNMENT

## memorandu

Branch of Real Estate Services Uintah & Ouray Agency

٠,

Charles & Cameron

Date:

5 December, 2002

Reply to Attn of:

Supervisory Petroleum Engineer

Subject:

Modification of Utah Division of Oil, Gas and Mining Regulations

To

Director, Utah Division of Oil, Gas and Mining Division: John Baza

We have been advised of changes occurring with the operation of your database for Change of Operator. You will be modifying your records to reflect Change of Operator once you have received all necessary documentation from the companies involved, and perhaps in advance of our Notice of Concurrence/Approval of Change of Operator where Indian leases are involved.

We have no objection.

With further comment to Rulemaking, I wish to comment concerning the provision of Exhibits for upcoming Hearings. I would like to see the Uintah & Ouray Agency, BIA, and the Ute Indian Tribe, Energy & Mineral Resources Department added to the list of those parties that receive advance Exhibits so as to allow us to have research time prior to Hearing dates. We will be able to provide a more informed recommendation to the Oil, Gas and Mining Board. It would be best if we would receive only those Exhibits that concern Indian lands, specifically on or adjacent to Indian lands. This may be a difficult situation to attain, as it is not always clear where 'on or adjacent' occurs.

I am aware that you have gone to extra effort to correct this matter already, and I fully appreciate it. My request is intended only to allow the addition of Uintah & Ouray Agency and Ute Indian Tribe to the official listing.

We appreciate you concern, and hope that these comments are timely enough for consideration in the revision process.

CC:

Minerals & Mining Section of RES

Ute Energy & Mineral Resources Department: Executive Director

chrono



## United States Department of the Interior

BUREAU OF INDIAN AFFAIRS
Washington, D.C. 20240
FEB 1 0 2003

Carroll A. Wilson
Principal Landman
Westport Oil and Gas Company, L.P.
1368 South 1200 East
Vernal, Utah 84078

Dear Mr. Wilson:

This is in response to your request for approval of RLI Insurance Company's Nationwide Oil and Gas Lease Bond No. RLB0005239 executed effective December 17, 2002, (\$150,000 coverage) with Westport Oil and Gas Company, L. P., as principal.

This bond is hereby approved as of the date of this correspondence and will be retained in the Bureau of Indian Affairs' Division of Real Estate Services, 1849 C Street, NW, MS-4512-MIB, Washington, D.C. 20240. All Bureau oil and gas regional offices and the surety are being informed of this action.

In cases where you have existing individual and/or collective bonds on file with one or more of our regional offices, you may now request those offices, directly, to terminate in lieu of coverage under this Nationwide Bond.

Enclosed is a copy of the approved bond for your files. If we may be of further assistance in this matter, please advise.

Sincerely.

Director, Office of Trust Responsibilities

ACTING Enclosure



### United States Department of the Interior

#### **BUREAU OF LAND MANAGEMENT**

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

IN REPLY REFER TO UT-922

February 27, 2003

Westport Oil and Gas Company, L.P. Attn: Gary D. Williamson 1670 Broadway, Suite 2800 Denver, Colorado 80202

Re:

Natural Buttes Unit

Uintah County, Utah

#### Gentlemen:

On February 27, 2003, we received an indenture dated December 17, 2002, whereby El Paso Production Oil & Gas Company resigned as Unit Operator and Westport Oil and Gas Company, L.P., was designated as Successor Unit Operator for the Natural Buttes Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective February 27, 2003. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Natural Buttes Unit Agreement.

Your nationwide (Colorado) oil and gas bond No. 1203 will be used to cover all operations within the Natural Buttes Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks Chief, Branch of Fluid Minerals

#### **Enclosure**

bcc:

Field Manager - Vernal (w/enclosure)

SITLA

Division of Oil, Gas & Mining Minerals Adjudication Group

File - Natural Buttes Unit (w/enclosure)

Agr. Sec. Chron

Fluid Chron

UT922:TAThompson:tt:02/27/2003

RECEIVED

FEB 2 8 2003

DIV. OF OIL, GAS & MINING

## STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES

<b>!</b>			
SUNDRY NOTICES AND REPORTS ON WELLS	DIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	or CA AGREEMENT NAME:		
OILWELL L. GASWELL L. OTHER	L NAME and NUMBER: bit "A"		
El Paso Production Oil & Gas Company	NUMBER:		
9 Greenway Plaza CANS Houston STATE TX ZAP 77064-0995 (832) 676-5933	LD AND POOL, OR WILDCAT:		
4. LOCATION OF WELL  FOOTAGES AT SURFACE: COUNT	Υ:		
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: STATE:	UTAH		
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OF	R OTHER DATA		
TYPE OF SUBMISSION TYPE OF ACTION			
NOTICE OF INTENT	REPERFORATE CURRENT FORMATION		
(Submit in Duplicate)  ALTER CASING  FRACTURE TREAT	SIDETRACK TO REPAIR WELL		
Approximate date work will start: CASING REPAIR NEW CONSTRUCTION	TEMPORARILY ABANDON		
CHANGE TO PREVIOUS PLANS  OPERATOR CHANGE	TUBING REPAIR		
CHANGE TUBING PLUG AND ABANDON	VENT OR FLARE		
SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK (Submit Original Form Only)	WATER DISPOSAL .		
Date of work completion:  CHANGE WELL STATUS  PRODUCTION (START/RESUME)	WATER SHUT-OFF		
COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE	OTHER:		
CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION			
DESCRIBE PROPOSED OR COMPLÉTED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.  Operator change to Westport Oil and Gas Company, L.P., 1670 Broadway, Suite 2800, Denver, CO. 80202-4800, effective December 17, 2002.			
BOND #			
State Surety Bond No. RLB0005236	ECEIVED		
EL PASO PRODUCTION OIL & GAS COMPANY	.co a a auto		
	EB 2 8 2003		
nıv o	FOIL, GAS & MINING		
By:			
WESTPORT OIL AND GAS COMPANY, L.P.  David R. Dix  Agent and Attorney-in-F	Fact		
SIGNATURE DATE			

(This space for State use only)

Tide 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any

Date

Approved by

Conditions of approval, if any, are attached Approval of this notice does not warrant or comby that the applicant holds legal or equipable thre to those sights in the subject lease which would entire the applicant to conduct operations thereon.

false, fictitious or fraudulent statements or representations as 10 any matter within its jurisdiction.

₹

#### **OPERATOR CHANGE WORKSHEET**

ROUTING

1. GLH

2. CDW

3. FILE

#### X Change of Operator (Well Sold)

5. If NO, the operator was contacted contacted on:

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has cha	anged, effective:	12-17-02					
FROM: (Old Operator):		TO: ( New Operator):					
EL PASO PRODUCTION OIL & GAS COMPANY		WESTPORT OIL & GAS COMPANY LP					
Address: 9 GREENWAY PLAZA		Address: P O B	OX 1148				
HOUSTON, TX 77064-0995	<del> </del>	VERNAL, UT	84078		· ·		
Phone: 1-(832)-676-5933		Phone: 1-(435)					
Account No. N1845		Account No.					
	A No.	Unit:		L BUTTES			
WELL(S)				<u> </u>		. <u>.</u>	
	SEC TWN	API NO	ENTITY	LEASE	WELL	WELL	
NAME	RNG		NO	TYPE	TYPE	STATUS	
NBU 43N	26-10S-20E	43-047-30848	2900	FEDERAL	GW	S	
NBU 397	26-10S-20E	43-047-34365	99999	FEDERAL	GW	APD	
NBU CIGE 55-1-10-21	01-10S-21E	43-047-30512	2900	STATE	GW	P	
NBU CIGE 79D-1-10-21		43-047-30896		STATE	GW	P	
CIGE 107D-1-10-21		43-047-31747		STATE	GW	P	
CIGE 205-1-10-21		43-047-32795		STATE	GW	P	
NBU 211		43-047-32339		FEDERAL	GW	P	
NBU 264		43-047-33000	_	FEDERAL		P	
CIGE 244-1-10-21		43-047-33209		STATE	GW	P	
CIGE 245-1-10-21		43-047-33210		STATE	GW	P	
NBU 329		43-047-33227		FEDERAL		P	
NBU 284		43-047-34792		STATE	GW	APD	
NBU 444		43-047-34796		FEDERAL		APD	
NBU 71		43-047-31101		FEDERAL		PA	
NBU 265		43-047-32796		STATE	GW	P	
CIGE 224-2-10-21		43-047-32883		STATE	GW	P	
CIGE 246-2-10-21		43-047-33687		STATE	GW	APD	
CIGE 100D-2-10-21		43-047-31731		STATE	GW	P	
UTE TRAIL U 88X-2G		43-047-15389		STATE	GW	P	
CIGE 10-2-22		43-047-30425		STATE	GW	P	
OPERATOR CHANGES DOCUMENTATION  Enter date after each listed item is completed  1. (R649-8-10) Sundry or legal documentation was received from the FORMER operator on:  02/28/2003							
<ol> <li>(R649-8-10) Sundry or legal documentation was received from the NEW operator on: 03/04/2003</li> <li>The new company has been checked through the Department of Commerce, Division of Corporations Database on: 03/06</li> </ol>					03/06/2003		
4. Is the new operator registered in the State of Utah:	YES	Business Numb	per:	1355743-018	1		

6. (R649	-9-2)Waste Management Plan has been received on	: IN PLACE		4
	deral and Indian Lease Wells: The BLM at			ge,
or of	perator change for all wells listed on Federal or Indi	ian leases on: BLM-12/31/	2003 BIA-12/5/02	
8. Fee	deral and Indian Units:			
Th	e BLM or BIA has approved the successor of unit of	operator for wells listed on:	02/27/2003	
9. <b>Fe</b>	deral and Indian Communization Agree	ments ("CA"):		·
Th	e BLM or BIA has approved the operator for all we	ells listed within a CA on:	<u>N/A</u>	
	nderground Injection Control ("UIC") the enhanced/secondary recovery unit/project for th		ed UIC Form 5, <b>Transfer of Au</b> 1 on: N/A	thority to Inject,
DATA	ENTRY:			
1. Char	nges entered in the Oil and Gas Database on:	03/19/2003		1 4 4 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
2. Char	nges have been entered on the Monthly Operator	Change Spread Sheet on:	03/19/2003	We are the second
3. Bone	d information entered in RBDMS on:	N/A	1	the growth of
4. Fee	wells attached to bond in RBDMS on:	N/A		the many sections of
	WELL(S) BOND VERIFICATION:			
1. State	e well(s) covered by Bond Number:	RLB 0005236		in de la companya de
FEDE	RAL WELL(S) BOND VERIFICATION	<b>[:</b>		
1. Fede	ral well(s) covered by Bond Number:	158626364	•	÷
INDIA	N WELL(S) BOND VERIFICATION:			
1. India	an well(s) covered by Bond Number:	RLB 0005239		·
FEE W	ELL(S) BOND VERIFICATION:		· · · · · · · · · · · · · · · · · · ·	- 1
1. (R64	9-3-1) The NEW operator of any fee well(s) listed	covered by Bond Number	RLB 0005238	i .
	ORMER operator has requested a release of liabilities bivision sent response by letter on:	ity from their bond on: N/A	N/A	* 8
LEASI	E INTEREST OWNER NOTIFICATION	N:		
3. (R649	2-2-10) The <b>FORMER</b> operator of the fee wells have responsibility to notify all interest owners of this	s been contacted and informe	d by a letter from the Division	
COMME	NTS:			_
····				
		·		<del></del>

(August 1999): DEPARTMENT OF THE INTERIOR					OMB N	APPROVED 3_ 0. 1004-0135
		REAU OF LAND MANAG			<u> </u>	vernber 30, 2000
					5. Lease Serial No.	
4		/ NOTICES AND REPORTS	· · · · · · ·		Multiple Wells -	
		is form for proposals to l. Use Form 3160-3 (APD)			6. If Indian, Allotte	æ or Tribe Name
SUI	BMIT IN TRIPL	ICATE – Other instru	ctions on reve	erse side	7. If Unit or CA/A	greement, Name and/or No.
				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	891008900A	
1. Type of Well					1	
Oil Well		Other			8. Well Name and	No.
2. Name of Ope					Multiple Wells -	see attached
	OIL & GAS COM	PANY, L.P.			9. API Well No.	
3a. Address				lude area code)	Multiple Wells -	see attached
			(435) 781-		10. Field and Pool, o	r Exploratory Area
					Natural Buttes I	Jnit
Multiple Wells	- see attached				11. County or Parish	, State
105	HE 1	9-1 4304	4730512		Uintah County,	υT
		APPROPRIATE BOX(ES) TO	INDICATE NATU	RE OF NOTICE, RI	PORT, OR OTHER	DATA
TYPE OF	SUBMISSION			TYPE OF ACTION	<del>,</del>	
Notice of Int	ent	Acidize	Decpen .		(Start/Resume)	Water Shut-Off
		Alter Casing	Fracture Treat	Reclamation	_	Well Integrity
Subsequent F	Report	Casing Repair	New Constructio	n Recomplete		Other
C Pinel About		Change Plans	Plug and Abando	<u> </u>	· ·	-
	onment Notice	Convert to Injection	Plug Back	Water Dispo		
Attach the Bone following comp testing has beer	d under which the wor	ations (clearly state all pertinent lly or recomplete horizontally, give k will be performed or provide to operations. If the operation result andomment Notices shall be filed al inspection.	he Bond No. on file water in a multiple complete.	s and measured and tru vith BLM/BIA. Require	e vertical depths of all red subsequent reports	pertinent markers and zones. shall be filed within 30 days
Westport Oil & Ga	as requests a varianc	e to Onshore Order No. 4, Par	t IIIC a requiring on	sh ngiao tamb ka a a sa		
with a pressure-va	acuum thief hatch and	d/or vent line valve. The varian	r mo.a. requiring eac realis requiested as a	n economia analysis	ppea	
condensate will ne	ot payout the increme	ental cost of purchasing and ma	aintaining the value r	neuting in a less of	snows the value of the	1e shrunk
	, ,	and the parentaging and the	anical ing the faire i	esciulity in a loss of v	alue over the produc	ing life of the well.
The volume lost to	shrinkage by droppi	ing the tank pressure from 6 oz	zs. to 0 psia is shown	to be 0.3% of the to	nk volume. This was	data-visad bulst
of a representative	e sample from the fie	ld. The sample shrunk from 98	.82% of oringinal vol	ume to 98 52% when	the pressure was di	reprod
The average NBU	well produces appro	ximately 6 bbls condensate pe	r month. The resultir	ng shrinkage would a	mount to 0.56 bble o	oppeu.
month lost volume	due to shrinkage. Ti	he value of the shrunk and lost	condensate does no	ot recoup or payout th	ne cost of installing	21
and maintaining th	ne valves and other d	evices that hold the positive ta	nk pressure. An ecor	nomic run based on t	he loss and costs is	attached
Westport Oil & gas	s requests approval o	of this variance in order to incre	ase the value of the	well to the operator a	and the mineral royal	water
14. I hereby certify	that the foregoing is tr	ue and correct	Product bookstage		and the mineral reyal	y owings.
Name (Printed		COMPRESS	Title 4			SEP 1 0 2222
J.T. Conley	1	COPY SENT TO OPER	APDR	\ Opera	ations Manager	SEP 1 (1 2003
Signature	- Clarke	Initials CHO	Date	9-2-2003		DIV. OF OIL CAS & MINIO.
		THIS SPACE	FOR FEDERAL OF	RSTATE USE	4-72	<del></del>
Approved by			Title	Accepted by Utah Division	D	Federal Approved Of This
Condition of				il, Gas and M		Action is Necessary
certify that the applic	ant noids legal or equita	Approval of this notice does not wanted to the subject of the subj	ct lease		7.11.18	
which would entitle t	he applicant to conduct	operations thereon.	Date:	9/16/03		

Date:

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and millfully to make to any department or representations as to any matter within its jurisdiction. (Instructions on reverse)

<u>lect Economic</u> Ictions:			nd after project						
	are shown below and s is protected to prevent	graphed autor	natically at the	ottom of the	ne page. Thi	s sheet			
	OPX entered as annua					-			
ct Name:	Condensate Shrinkage	Economics	-						
Is this job a we	pull or production rig joi		(Y or N)		B177787116	_			
	BEFC \$/Ye	HOY	AFTER \$/Year	_	DIFFERENC \$/Year	<b>E</b>			
Gross Oil Re Gross Gas R		\$0	\$1,099 \$0	] [	\$1 \$				
NGL Reven	He .	\$0	\$0	1 1					
PULING UNI				]	\$				
SUBSURF EQ				1 1	<u> </u>	1			
COMPANY	and the same of			1 1	\$	<u> </u>			
CONTRACT		\$0	\$200		\$20				
LEASE FUEL		\$0	\$0	1 1	<u> </u>				
UTILITIES - EL CHEMICAL		\$0	\$0	] [	\$	_			
MATERIAL &		\$0	\$150	1	\$ \$15				
WATER & H/				1	\$	ᅙ			
ADMINISTRA GAS PLANT	PROCESSING				\$				
•	Totals	\$0	\$350		\$35		sed OPX	Per Yea	r
investment									
	Cap/Exp Code Cost	. \$	Oil Price Gas Price	\$ 23.00 \$ 3.10	\$/BO \$/MCF				
Capital \$	820/830/840 \$	1,200	Electric Cost	\$ .	1/HP/day				
Expense \$ Total \$	830/860	\$0 1,200	OPX/BF OPX/MCF	\$ 2.00	\$/BF \$/MCF				
•	<del></del>		OI ATMOF	V V.04	er mor				
rtoduction	3 & OPX Detail: Selore		After	i	Difference				
Oll Production		0.192 BOPD	0.194			BOPD			
Gas Product Witr Product		0 MCFPD	- 0	MCFPD BWPD		MCFPD BWPD			
Horse Powe		HP		HP		) HP			
Fuel Gas Bu	red	MCFPD		MCFPD	(	MCFPD			
Project Life:	<del></del>			Payout Ca	(2-1-W				
110,100,1100	Life =	20.0 Years			ecordion:				
	(Ufe no longer ti	han 20 years)		Payout = _	Sum(OP)	Total Inves ( + Increm		nue)	- 1
internal Rate		-A1						•	
Aler IQX	IROR = #DIV	/UI		Payout ocu See araph	curs when to below, note	otal AT cash events whe	oneshio	als Investi « reache	ment e zero
AT Cum Car				_		_			
Operating C	ashflow = (\$2	(Discour	nted @ 10%)	Payout =	NEVER	Years	or #V	ALUEI	Days
Gross Reserves		6 BO					*******		
Gas Reserve Gas Equiv R		0 MCF							
	361462 -	38 MCFE							
/Assumptions: An average	NEU well produces 0.192	Bond with no i	onk presure Th	neoducilo	n le Ingresse	d in 0 104	Danel H /		
are placed	n the tank. The increase	production d	oes not payout	he volve co	st or the est	imated an	wai main	enance	costs.
	Pre	elect: Conden	sate Shrinkage E	conomics		<del>,</del>			
\$0 +									
							-		
(\$500)								†	
§ (\$1,000)			}					.ļļ.	
Ø (\$1,500)		<u> </u>							
1 \$ (4-1/1-00) X						•			
<del>     </del>	-						·	ļļ.	
를 (\$2,000)									į
(\$2,000) (\$2,500)			. , , , , , , , , , , , , , , , , , , ,		_				
\$ (\$2,500)							<del>-</del> -	1 1	1
(\$2,000) (\$2,500) (\$3,000)						++			

## Westport Oil and Gas, Inc. NBU/Ouray Field

RFL 2003-022

#### **COMPARISON OF FLASH BACK PRESSURES**

Calculated by Characterized Equation-of-State

•	Separator Volume Percent	Separator Volume Factor	Specific Gravity of Flashed Gas	Gas/Oil Ratio (scf/STbbl)		Fla Condi
· · · · · · · · · · · · · · · · · · ·	(C)	(B)	( Air=1.000 )	(A)	°F	paig
			tion <b>s</b>	tory Flash Condi	at Laborat	alculated
· sa		1.019			70	80
	101.37%	1.033	0.993	30.4	122	0
· Ÿ	98.14%	1.000	-	0.0	60	0
The state of the state of		•	sing Tuned EOS	Backpressure (	Flash with	elcul <b>ate</b> d
		1.015			70	80
5	98.82%	1.003	0.777	24.6	65	6.0 oz
ü	98.52%	1.000		0.0	60	0
·		1.015			70	80
	98.82%	1.003	0.778	24.7	65	4.0 oz
<b>X</b>	98.52%	1.000	-	0.0	60	0
		1.015			70	80
R	98.82%	1.003	0.779	24.7	65	2.0 oz
A	98.52%	1.000		0.0	60	0
		1.015			70	80
-	98.82%	1.003	0.780	24.8	65	0
	98.52%	1.000	_	0.0	60	0

Note: Bubblepoint of sample in original sample container was 80 psig at 70° F with 1 cc water

<sup>(</sup>A) Cubic Feet of gas at 14.696 psia and 60 °F per Barrel of Stock Tank Oil at 60 °F.

<sup>(</sup>B) Barrels of oil at indicated pressure and temperature per Barrel of Stock Tank Oil at 60 °F.

<sup>(</sup>C) Oil volume at indicated pressure and temperature as a percentage of original saturated oil volume.

## ALL WELLS ROCKY MOUNTIAN GAS-NBU ENARDO VARIANCE

WELL	LEGALS	STFLEASENO	CANUMBER	APINO
CIGE 003	32-9-22 SENE	ML22649	891008900A	430473032000S1 🗸
CIGE 004	9-10-21 NESE	UTU01416	891008900A	430473033400S1
CIGE 005	31-9-22 NWSE	U01207A	891008900A	430473033500S1 V
CIGE 006	19-9-21 SWSE	U0581	891008900A 891008900A	430473035600S1 430473035800S1
CIGE 007	8-10-21 NENW	UTU01791 UTU010954A	891008900A	430473042700S1
CIGE 008	35-9-22 SWSE	ML22650	891008900A	430473041900S1 🗸
CIGE 009	36-9-22 NWSE 2-10-22 NWSE	ML22651	891008900A	430473042500S1
CIGE 010 CIGE 011	14-9-20 SWSE	UTU0577A	891008900A	430473042400S1
CIGE 011	14-9-20 SWSE	UTU0577A	891008900A	430473042400S1
CIGE 013	7-10-21 NESE	UTU02270A	891008900A	430473042000S1
CIGE 014	9-10-22 NESW	UTU01196B	891008900A	430473048400S1
CIGE 018	2-10-21 NWNE	ML22652	891008900A	430473047100S1 V
CIGE 019	16-9-21 SWSW	ML3141A	891008900A	430473045900S1 430473048500S1
CIGE 020	20-10-21 SESW	UTU02278	891008900A 891008900A	430473049700S1
CIGE 022	15-9-20 SENW 7-10-22 SESE	UTU0144868 ML23609	891008900A	430473033300S1 🗸
CIGE 023 CIGE 024	29-9-22 SESW	U01207	891008900A	430473049300S1
CIGE 025	34-9-22 SENW	UTU0149077	891008900A	430473073700S1
CIGE 027	33-9-22 NENW	UTU01191A	891008900A	430473073800S1
CIGE 028	35-9-21 NESE	ML22582	891008900A	430473073900S1 🗸
CIGE 030	6-10-21 NENW	UTU01791	891008900A	430473049800S1
CIGE 031	1-10-22 SWNW	U011336	891008900A	430473051100S1
CIGE 032A	20-9-20 NESW	UTU01567A	891008900A	430473049600S1
CIGE 034	13-10-20 SWNE	UTU02270A	891008900A 891008900A	430473050800S1 430473049400S1
CIGE 035	1-10-20 NESW 32-9-22 NWNW	UTU02270A ML22649	891008900A	430473083300S1
CIGE 036D CIGE 037D	21-9-21 SWSE	UTU0576	891008900A	430473091000S1
CIGE 038D	4-10-21 SWSE	U01416	891008900A	430473049500S1
CIGE 040	3-10-21 NESW	UTU0149078	891008900A	430473074000S1
CIGE 042	25-9-21 SWSE	U04139	891008900A	430473049200S1
CIGE 043	14-10-22 SENW	U01197A	891008900A	430473049100S1
CIGE 044	9-9-21 SESE	UTU01188	891008900A	430473052700S1 430473052800S1
CIGE 045	15-9-21 NESE	UTU01193	891008900A 891008900A	430473052900S1
CIGE 046	21-9-21 NENE 14-10-21 NWSE	UTU0576 UTU01393C	891008900A	430473051000S1
CIGE 047 CIGE 048	15-10-21 SWNE	UTU01416A	891008900A	430473050600S1
CIGE 051D	31-9-22 NENE	U01191	891008900A	430473088900S1 V
CIGE 052	5-10-22 SENW	UTU01195	891008900A	430473053100S1
CIGE 053	6-10-22 NESW	UTU01195	891008900A	430473053300S1
CIGE 054D	35-9-21 NENE	ML22582	891008900A	430473085100S1 430473051200S1
CIGE 055	1-10-21 SENW	ML23612 U01194A	891008900A 891008900A	430473053000S1 V
CIGE 056	34-9-21 SWSE 10-10-21 NENE	UTU0149079	891008900A	430473054300S1
CIGE 057 CIGE 058	16-10-21 NENE	ML10755	891008900A	430473053200S1
CIGE 060	14-9-21 SENW	UTU01193	891008900A	430473054900S1
CIGE 061	13-9-21 SENW	U01193	891008900A	430473055000S1
CIGE 062D	36-9-22 NWSW	ML22650	891008900A	430473088500S1 V
CIGE 063D	29-9-22 NWNW	UTU462	891008900A	430473094900S1
CIGE 064D	33-9-22 SWSW	UTU01191A	891008900A	430473095000S1 430473054200S1
CIGE 066	23-10-21 SENW	UTU02278A ML22651	891008900A 891008900A	430473093800\$1
CIGE 067A CIGE 068D	2-10-22 NENE 35-9-22 NWSW	UTU010954A	891008900A	430473095100S1
CIGE 000D	19-10-21 SENW	ML22792	891008900A	430473063500S1
CIGE 070	20-9-21 NESE	UTU0575	891008900A	430473063600S1
CIGE 071	7-9-21 NESE	UTU0575B	891008900A	430473063700S1
CIGE 072	18-9-21 SWNE	UTU0575	891008900A	430473063400S1
CIGE 073D	5-10-22 SWSW	UTU01191A	891008900A 891008900A	430473095200S1 430473095300S1
CIGE 074D	6-10-22 NWSE	UTU01195 UTU01791	891008900A	43047309540081
CIGE 075D CIGE 076D	8-10-21 SENE 9-10-21 NENE	UTU01416	891008900A	43047309550081
CIGE 076D	10-10-21 SESE	UTU0149079	891008900A	430473095600S1
CIGE 078C	16-9-21 NENW	UTU38409	891008900A	430473087000S1
CIGE 079D	1-10-21 NENE	ML23612	891008900A	430473089600S1
CIGE 080D	2-10-21 NWNW	ML22652	891008900A	430473085300S1 V
CIGE 081D	4-10-21 NENE	ML22940	891008900A 891008900A	430473085400S1 430473088600S1
CIGE 086D	16-9-21 SWSE 34-9-21 NENE	ML3282 U01194A	891008900A 891008900A	430473086900S1
CIGE 087D CIGE 088D	15-10-21 NWNW		891008900A	430473095800S1
CIGE 089D	34-9-22 SENE	UTU0149077	891008900A	430473114600S1
CIGE 090D	9-9-21 NWNE	UTU01188A	891008900A	430473114900S1
CIGE 091D	15-9-21 NWNE	UTU01188	891008900A	430473115100S1

## Division of Oil, Gas and Mining OPERATOR CHANGE WORKSHEET

ROUTING
1. DJJ
2. CDW

#### X Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has chan	1/6/2006					
FROM: (Old Operator):		<b>TO:</b> ( New Op	perator):			
N2115-Westport Oil & Gas Co., LP		N2995-Kerr-McGee Oil & Gas Onshore, LP				
1368 South 1200 East	1368 S	outh 1200	East	•		
Vernal, UT 84078	Vernal,	, UT 84078				
Phone: 1-(435) 781-7024		Phone: 1-(435)	781-7024			
CA No.		Unit:		ATURAL B	UTTES	UNIT
WELL NAME	SEC TWN RNG	API NO	ENTITY	LEASE	WELL	WELL
	٠,		NO	TYPE	TYPE	STATUS
OPERATOR CHANGES DOCUMENT	ATION					
Enter date after each listed item is completed						
1. (R649-8-10) Sundry or legal documentation wa	is received from the	FORMER ope	rator on:	5/10/2006		
2. (R649-8-10) Sundry or legal documentation wa		-		5/10/2006	-	
3. The new company was checked on the <b>Depart</b>		<del>-</del>		s Database o	- on:	3/7/2006
4a. Is the new operator registered in the State of U		Business Numb	•	1355743-018		
4b. If <b>NO</b> , the operator was contacted contacted of	on:	•			•	
5a. (R649-9-2)Waste Management Plan has been re	eceived on:	IN PLACE				
5b. Inspections of LA PA state/fee well sites comp	lete on:	n/a	3 LA wells	s & all PA w	ells tran:	sferred
5c. Reports current for Production/Disposition & S	undries on:	ok	-			
6. Federal and Indian Lease Wells: The	BLM and or the I	BIA has appro	ved the n	nerger, nan	ne chan	ge,
or operator change for all wells listed on Feder			BLM	3/27/2006		not yet
7. Federal and Indian Units:		· · ·			•	
The BLM or BIA has approved the successor	of unit operator for	r wells listed on:		3/27/2006		
8. Federal and Indian Communization		•				
The BLM or BIA has approved the operator				n/a		
9. Underground Injection Control ("U	,	vision has appro			sfer of A	uthority to
Inject, for the enhanced/secondary recovery un	it/project for the wa	ater disposal wel	l(s) listed o	n:		
DATA ENTRY:						
1. Changes entered in the Oil and Gas Database		5/15/2006		5/15/2006		
<ul><li>2. Changes have been entered on the Monthly Op</li><li>3. Bond information entered in RBDMS on:</li></ul>	perator Change Sp			5/15/2006	-	
4. Fee/State wells attached to bond in RBDMS on	.,	5/15/2006 5/16/2006				
5. Injection Projects to new operator in RBDMS of		3/10/2000	•			
6. Receipt of Acceptance of Drilling Procedures f			n∕a	Name Chan	ge Only	
BOND VERIFICATION:	01 711 15/110 W OJI.		II ti	Tvaine Chan	go Omy	
Federal well(s) covered by Bond Number:		CO1203				
2. Indian well(s) covered by Bond Number:		RLB0005239	•			
3. (R649-3-1) The <b>NEW</b> operator of any fee wells	(s) listed covered by		•	RLB000523	6	
		n/a	rider added			
a. The <b>FORMER</b> operator has requested a release of liability from their bond on: n/a rider added KMG  The Division sent response by letter on:						
LEASE INTEREST OWNER NOTIFIC	CATION:		•			
4. (R649-2-10) The <b>FORMER</b> operator of the fee		acted and inforn	ned by a let	ter from the	Division	
of their responsibility to notify all interest owne			5/16/2006			
COMMENTS:						

4 Form 3 160-5 (August 1999)

#### UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

FORM APPROVED OMB No. 1004-0135 Expires Jnovember 30, 2000

5. Lease Serial No.

SUNDRY NOTICES AND REPORTS ON WELLS				MULTIPLE LEASES		
	form for proposals to			6. If Indian, Allottee or Tri	be Name	
abandoned well. Use Form 3160-3 (APD) for such proposals.  SUBMIT IN TRIPLICATE – Other instructions on reverse side				7. If Unit or CA/Agreemen	ıt, Name and/or No.	
Type of Well	· · · · · · · · · · · · · · · · · · ·			4		
Oil Well X Gas Well	Other			8. Well Name and No.		
2. Name of Operator				MUTIPLE WELLS	S	
KERR-McGEE OIL & GAS C	NSHORE LP			9. API Well No.		
3a. Address		3b. Phone No. (inclu	de area code)			
1368 SOUTH 1200 EAST V		(435) 781-7024		10. Field and Pool, or Explo	ratory Area	
4. Location of Well (Footage, Sec.,	T., R., M., or Survey Descripti	on)				
SEE ATTACHED				11. County or Parish, State		
—				UINTAH COUNTY, U	TAH	
12. CHECK APP	ROPRIATE BOX(ES) TO	INDICATE NATURE	OF NOTICE, I	REPORT, OR OTHER DAT	ſA	
TYPE OF SUBMISSION		TY	PE OF ACTIO	Ν		
Notice of Intent	Acidize	Deepen Deepen	Production	n (Start/Resume) 🔲 Water S	Shut-Off	
X Subsequent Report	Alter Casing	Fracture Treat	Reclamati			
Subsequent Report	Casing Repair Change Plans	New Construction Plug and Abandon	Recomple Temporari	ily Abandon OPER	CHANGE OF	
Final Abandonment Notice	Convert to Injection	Plug Back	Water Dis		<del></del>	
Attach the Bond under which the wo following completion of the involved testing has been completed. Final Addetermined that the site is ready for fin	operations. If the operation resu candonment Notices shall be file	lts in a multiple completic	on or recompletion	in a new interval, a Form 3160-4	shall be filed once	
PLEASE BE ADVISED THAT OPERATOR OF THE ATTA- KERR-McGEE OIL & GAS CO OF THE LEASE(S) FOR TH	CHED WELL LOCATIONSHORE LP, IS RES	ONS. EFFECTIVE PONSIBLE UNDE	JANUARY 6 R TERMS AI	6, 2006. ND CONDITIONS	RECEIVED MAY 1 0 2006	
IS PROVIDED BY STATE O	F UTAH NATIONWIDE	E BOND NO. RLB(	005237	n. DOND COVERAGE	IV OF OUT GAS & MININ	
	ONO = C0/203	$\overline{\mathbf{A}}$	PPROVE	D_5/16/06	The Or Ora, and a mirror	
	OND = RLBOO	5 5	En. 1.	0 00	pilomeniisia	
			Curlene	Kussell	-	
14. I hereby certify that the foregoin	g is true and correct	To a		Gas and Mining Engineering Technicia		
Name (Printed/Typed) RANDY BAYNE		DRILLING MAI	-	milenooring recurrent	.46	
Signature /		Date	1AOLIN			
- Kanky & Sayou		May 9, 2006				
Approved by	THIS SPAC	FOR FEDERAL OR	STATE USE	Date		
Approved by		line		Date		
Conditions of approval, if any, are attached certify that the applicant holds legal or equivalent would entitle the applicant to conduct which would entitle the applicant to conduct the applicant	table title to those rights in the sul			<u> </u>	<u> </u>	

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any

false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

Form 3 160-5 (August 1999)

## UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB No. 1004-0135 Expires Inovember 30, 2000

SUNDRY NOTICES AND DEPORTS ON WITH S	
BUREAU OF LAND MANAGEMENT	<ol><li>Lease Serial No.</li></ol>

SUNDRY	[MULTIPLE LEASES		
	form for proposals t Use Form 3160-3 (APL		6. If Indian, Allottee or Tribe Name
SUBMIT IN TRIPL	7. If Unit or CA/Agreement, Name and/or No.		
1. Type of Well	The state of the s		
Oil Well X Gas Well	Other		8. Well Name and No.
2. Name of Operator			MUTIPLE WELLS
WESTPORT OIL & GAS CO	DMPANY L.P.		9. API Well No.
3a. Address		3b. Phone No. (include area co-	de)
1368 SOUTH 1200 EAST V		(435) 781-7024	10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec.,	T., R., M., or Survey Descript	tion)	
SEE ATTAQUED			11. County or Parish, State
SEE ATTACHED			UINTAH COUNTY, UTAH
12. CHECK APP	ROPRIATE BOX(ES) TO	INDICATE NATURE OF NOT	CE, REPORT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF AC	CTION
Notice of Intent	Acidize		luction (Start/Resume)
Subsequent Report	Alter Casing Casing Repair	New Construction Rec	lamation Well Integrity  Domplete Wolfer CHANGE OF
Final Abandonment Notice	Change Plans Convert to Injection		porarily Abandon OPERATOR er Disposal
testing has been completed. Final A determined that the site is ready for fin	operations. If the operation restandonment Notices shall be fill all inspection.	sults in a multiple completion or recomp led only after all requirements, includir	Required subsequent reports shall be filed within 30 days eletion in a new interval, a Form 3160-4 shall be filed once agreelamation, have been completed, and the operator has
EFFECTIVE JANUARY 6, 20 THE OPERATORSHIP OF 1 ONSHORE LP.	THE ATTACHED WEL	L LOCATIONS TO KERR-N	McGEE OIL & GAS
		ROVED <u>5/6/6</u>	RECEIVED
	Či	arlone Russell	
	Division	n of Oil, Gas and Mining	MAY 1 0 2006
	Earlene	Russell, Engineering Techr	rician
14. I hereby certify that the foregoing	g is true and correct		DIV OF OIL, GAS & MINING
Name (Printed/Typed)		Title	
BRAD LANEY Signature		ENGINEERING SPECI	ALIST
Organization .		Date May 9, 2006	
	THIS SPAC	E FOR FEDERAL OR STATE US	E
Approved by		Title	Date
Conditions of approval, if any, are attacket	Approval of this		5-9-06
certify that the applicant holds legal of equi which would entitle the applicant to conduct	table title to those rights in the su	warrant or Office ubject lease	